



FLEET & VEHICLE MAINTENANCE

	Load Binders & Winches 1644
2	Floor, Bottle & Transmission Jacks1645 - 1653
TOPA	Wheel Chocks
	Logistics Straps, Jack Bars, Tie Downs & Chains1656 - 1659
	Tire Servicing Tools1660 - 1661
	Portable Power Source, Booster Cables & Batteries1662 - 1663
	Wiper Blades1664 - 1665
	Automotive Bulbs
	Automotive Cleaning Brushes
	Automotive Chemicals, Cleaners & Wiper Fluid1668 - 1676
	Motor Oils & Grease
	Antifreeze & Coolants
	Snow Brushes, Shovels & Safety Flares
	Parts Cleaners & Funnels1682 - 1685
	Lubrication Equipment, Grease
	Guns, Oil Cans & Accessories1686 - 1691
	Gasket Cutter
CCCCCC	
	CHECKERS [®] KKen-Tool
	INDUSTRIAL SAFETY PRODUCTS, INC. WHEREVER TIRES ARE CHANGED






- Forged and heat treated
- With two strong, full rotation swivels
- Profiled mid-section to give extra stability
- Working load limit rating embossed on handle

LT462

LV332



LT465

GRADE 70 TRANSPORT CHAIN TIE-DOWNS

Manufactured in accordance with the Department of Transportation regulations

- Each assembly has a rating tag attached to meet NSC Standard 10 requirements ASSESSO
- Includes grade 70, alloy steel clevis grab hooks on each end
- Designed for use in cargo securement, towing and logging Grade 70 chains must not be used for overhead lifting
- High quality stamped grade 70 chain links
- Yellow chromate finish

Design factor 4:1

ig	and the second second second second
	STATE ALCONTRACTS STL
	1244 Contraction State
	Chilles Carton Statis
	LINE ALL STREET STREET
	FREE REAL LINE LEVEL
	THE REAL STREAMENTS
	Pro Chilles and State 1975
	and a second state of the
	A PARTING THE AND A
	and the second states of

		RD STEEL LTD.	200	
Model No.	Chain Length"	Trade Size	Working Load Limit	Price /Each
LU982	20' (6.1 m)	5/16"	4700 lbs. (2.35 tons)	80.90
LU983	25' (7.6 m)	5/16"	4700 lbs. (2.35 tons)	98.90
LU984	20' (6.1 m)	3/8"	6600 lbs. (3.3 tons)	115.00
LU985	25' (7.6 m)	3/8"	6600 lbs. (3.3 tons)	129.00

SINGLE SPEED TRAILER WINCHES

- Clear Zinc finish for superior corrosion resistance
- Solid drum gear construction delivers smooth cranking & durability • .
- Designed to meet your toughest pulling demands .
- 5 year limited warranty . Corrosion protection, tested up to 600
- hour salt spray rating as per ASTM B117
- For use with strap or rope

			•							
	Handle Length"	Gear Ratio	Working Load Limit	Recommended Strap Bolt Sizes	Rope Included /Not Included	Strap Included /Not Included	Strap Storage Cap.	Rope Storage Cap.	Mfg No.	Model No.
87.90	7	39:1	900 lbs. (409 kg)	1/4" x 2-1/2" Grade 5	Not Included	Not Included	15' x 2"	36' x 1/4"	142001	LV332
119.00	6	39:1	900 lbs. (409 kg)	1/4" x 2-1/2" Grade 5	Not Included	Included	12' x 2"	36' x 1/4"	142006	LV333
82.70	7	43:1	1100 lbs. (500 kg)	1/4" x 2-1/2" Grade 5	Not Included	Not Included	20' x 2"	30' x 5/16"	142100	LV334
99.90	7	43:1	1100 lbs. (500 kg)	1/4" x 2-1/2" Grade 5	Not Included	Included	20' x 2"	30' x 5/16"	142102	LV335
109.00	8	49:1	1300 lbs. (500 kg)	1/4" x 2-1/2" Grade 5	Not Included	Not Included	20' x 2"	30' x 5/16"	142103	LV336
149.00	8	43:1	1400 lbs. (636 kg)	5/16" x 2-1/2" Grade 5	Not Included	Included	20' x 2"	N/A	142320	LV337
159.00	8	43:1	1500 lbs. (681 kg)	5/16" x 2-1/2" Grade 5	Not Included	Included	20' x 2"	N/A	142311	LV338
119.00	8	49:1	1500 lbs. (681 kg)	1/4" x 2-1/2" Grade 5	Not Included	Not Included	20' x 2"	20' x 5/16"	142200	LV339
139.00	8	49:1	1500 lbs. (681 kg)	1/4" x 2-1/2" Grade 5	Not Included	Included	20' x 2"	20' x 5/16"	142203	LV340
159.00	10	62:1	1800 lbs. (818 kg)	3/8" x 2-3/4" Grade 5	Not Included	Not Included	20' x 2"	20' x 7/16"	142300	LV341
149.00	10	62:1	1800 lbs. (818 kg)	3/8" x 2-3/4" Grade 5	Not Included	Included	20' x 2"	20' x 7/16"	142305	LV342
189.00	10	62:1	1800 lbs. (818 kg)	3/8" x 2-3/4" Grade 5	Not Included	Included	20' x 2"	N/A	142314	LV343
)	8 10 10	49:1 62:1 62:1	1500 lbs. (681 kg) 1800 lbs. (818 kg) 1800 lbs. (818 kg)	1/4" x 2-1/2" Grade 5 3/8" x 2-3/4" Grade 5 3/8" x 2-3/4" Grade 5	Not Included Not Included Not Included	Included Not Included Included	20' x 2" 20' x 2" 20' x 2"	20' x 5/16" 20' x 7/16" 20' x 7/16"	142203 142300 142305	LV340 LV341 LV342

TWO SPEED TRAILER WINCHES

- Two speed winches includes one fast speed for guick pull-in and second for low speed
- Free-wheel position allows quick line pay out without spinning the handle
- Corrosion protection, tested up to 600 hour salt spray rating as per ASTM B117
- Shift lock holds the shaft in gear
- 5 year limited warranty •
- For use with strap only •

LV344	FULTON

LV340

Cable Storage Strap Storage Rope Included Handle Model Strap Included Working Load Limit Mfg Hub Gear Price Size Ratio Length No. No. Cap. Cap. /Not Included /Not Included /Each LV344 269.00 142400 N/A 20' x 2' Not Included Not Included 2000 lbs. (909 kg) 87 · 1 1" 10 1" 17345 142410 N/A 20' x 2' Not Included Not Included 2600 lbs. (1181 kg) 108:1 10 239.00 LV346 142420 100' x 7/32" N/A Not Included Not Included 1-3/4" 3200 lbs. (1455 kg) 79:1 10 379.00 LV347 142430 90' x 7/32" N/A Not Included Not Included 1-3/4" 3700 lbs. (1682 kg) 102:1 10 619.00

AUTOMATIC BRAKE WINCHES

- Positive holding action of the brake system while raising and . lowering loads provides the needed control for safety
- Holds the load securely when the crank handle is released
- Comfort grip handle for a positive hold while cranking
- Working load limit is based on maximum 1st layer rated line pull
- For use with 7 x 19 Aircraft cables only
- 5 year limited warranty ٠
- Corrosion protection, tested up to 600 hour salt spray rating as per ASTM B117
- Handle Length: 11"

	LV348	LV349
		(Lie)
7	C XO	FULION

Model No.	Mfg No.	Drum Hub Diameter	Covered Gears	Cable Included /Not Included	Working Load Limit	Max. Cable Diameter	Cable Storage Capacity	Gear Ratio	Handle Length"	Price /Each
LV348	143001	2-1/4"	No	Not Included	1000 lbs. (454 kg)	7/32"	50' (15 m)	4.1 : 1	11	239.00
LV349	143005	2-1/4"	Yes	Not Included	1000 lbs. (454 kg)	7/32"	50' (15 m)	4.1:1	11	279.00
LV350	143100	2-1/2"	No	Not Included	1500 lbs. (681 kg)	1/4"	70' (21 m)	5.1:1	11	349.00
LV351	143104	2-1/2"	Yes	Not Included	1500 lbs. (681 kg)	1/4"	70' (21 m)	5.1:1	11	389.00
LV352	143200	3-1/8"	No	Not Included	2500 lbs. (1136 kg)	5/16"	70' (21 m)	15.8:1	11	539.00

HYDRAULIC BOTTLE JACKS

- · Designed for vertical use only Large heavy-duty base for
- added stability and strength
- Heavy steel saddle for secure lifts
- · Factory pre-tested for 50% reserve capacity

MODEL NOs. TS322, LA816 & LA817

- Extra heavy-duty applications including bridge construction, renovation, house
- moving and hydraulic presses

MODEL NOs. LA818 & LA819 SHORT SERIES

Applications: industrial, agricultural, construction, and automotive lifting, pushing, bonding and straightening

STRONGARM

Model No.	Capacity Tons	Туре	Lowered Height"	Raised Height"	Screw Ext."	Lift"	Wt. Ibs.	Price /Each
LA808	2	Single Pump	6 1/4	12 1/2	2 1/2	3 3/4	6	45.00
LA809	4	Single Pump	6 3/4	12 1/4	2 1/4	3 1/4	8	61.80
LA810	6	Single Pump	8	16	2 3/4	5 1/4	11	70.20
LA811	8	Single Pump	7 3/4	15 3/4	2 3/4	5 1/4	13	100.00
LA812	12	Single Pump	8 1/2	17	2 3/4	5 3/4	17	129.00
LA814	20	Single Pump	9 1/2	18 1/4	2 1/2	6 1/4	27	182.00
TS322	30	Heavy-Duty Single Pump	11 1/4	18 3/4	-	7 1/2	44	452.00
LA816	50	Heavy-Duty Single Pump	11 3/4	19 3/4	-	8	74	728.00
LA817	50	Heavy-Duty Double Pump	11 3/4	19 3/4	-	8	94	872.00
LA818	12	Short Series Single Pump	7	13	2	4	15	129.00
LA819	20	Short Series Single Pump	7 3/4	14 3/4	2 1/2	4 1/2	23	182.00

LOW PROFILE HYDRAULIC **FLOOR JACKS**

- Sturdy heavy duty steel construction
- Welded chassis with reinforcing rims
- Engineered to withstand daily workshop •
- use on passenger vehicles and vans Features high lifting capacities
- . Quick operation design with two pumps and one foot pedal
- Comfortable hand grip
- Oil and acid resistant plastic wheels •
- . Construction: Steel



()	Chicago Pneumatic	тм			Y	
Model No.	Capacity Tons	Lowered Height"	Raised Height"	Length"	Wt. Ibs.	Price /Each
LU031	2	3.5	21.6	29.5	86	529.00
LU032	3	3.5	21.6	30.7	92	639.00

JACK STANDS

Easy to operate

- Safe self locking handle with composite tip and locking pin
- Iron support column and rugged steel frame construction
- Ratchet action for height adjustment •



G Ch	nicago neumatic™			Priced per Pair		
Model No.	Capacity Tons	Lowered Height"	Raised Height"	Wt. Ibs.	Price /Each	
LU046	2	11	16.7	5.5	68.80	
LU047	3	11.8	17.9	6.6	83.30	
LU048	6	15.7	24.4	11	161.00	



TS322 30 Ton Heavy-Duty



LA812 12 Ton Single Pump

LA817 50 Ton Heavy-Duty Double Pump

LA824

Ratchet

GARAGE JACKS

- Manually operated garage jacks are designed to lift cars, trucks, fork lifts, agricultural and construction equipment with hard to access lift points
- Long chassis easily reaches under overhanging bodies
- The extended reach allows for safe lifting of oversize loads
- Two steel wheels and two swivel casters allow for ease of movement positioning under low clearance axles and other objects
- The foot pedal allows for rapid lift to work load
- Automatic safety valve prevents
- accidental overloading

STRONGARM

Model No.	Capacity Tons"	Lowered Height"	Raised Height"	Wt. Ibs.	Price /Each
LA820	2 1/2	5	19 1/4	93	318.00
LA824	5	6	22 1/2	264	1524.00
LA825	10	7	23	373	1978.00
LA826	20	7 3/4	23 3/4	500	5727.00

SHOPSTANDS

RATCHET SAFETY STANDS

- · Heavy duty all steel welded construction with strong welded base for control and stability
- · The weight of the load serves as locking
- mechanism to prevent release under load Ratchet bar will safely sustain heavy
- loads over extended support time

PIN TYPE SAFETY STAND

- 10-ton capacity Solid bar-lock pin attached to frame holds saddle firmly in place
- Sturdy tubular construction
- 4 legged base adds
- stability and support
- · Number of positions: 10

STRONGARM

							d per Pair
Model No.	Туре	Capacity Tons	Lowered Height"	Raised Height"	Base"	Wt. Ibs.	Price /Each
LA406	Ratchet	3	11	16	7 x 7 1/2	17	89.30
LA407	Ratchet	6	15 1/2	24	9 x 10 1/2	30	133.00
LA408	Ratchet	12	18	28 3/4	12 x 10 3/4	70	357.00
LA841	Pin	10	30 3/4	46 1/4	16 x 16	110	764.00





STINGER SERIES BOTTLE JACKS

- Features forged base and cylinder to provide extra strength and prevent leaks
- Features chromed pump piston and ram to prevent rust Comes with seal kit to help extend product life
- •
- Stroke: 4-5/8"
- Length of Screw Extension: 2-3/8"
- Compliant: ANSI & PALD



OIC

Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Operation Type	Dimensions L" x W"	Wt. Ibs.	Price /Each
LW048	9302	2 Tons	7	14	Manual Hydraulic	4-5/16 x 2-9/16	5	74.70
LW049	9303	3 Tons	7-1/2	14-9/16	Manual Hydraulic	4-9/16 x 2-7/8	6.2	90.90
LW050	9305	5 Tons	7-13/16	15-5/8	Manual Hydraulic	5-3/16 x 3	8.4	99.10
LW051	9308	8 Tons	7-13/16	15-3/4	Manual Hydraulic	6 x 3-9/16	12.6	132.00
LW052	9312	12 Tons	9-3/8	18-5/8	Manual Hydraulic	6-9/16 x 4-3/16	17.4	162.00
LW053	9314	12 Tons	7-1/16	13-5/8	Manual Hydraulic	6-9/16 x 4-3/16	15.1	151.00
LW054	9320	20 Tons	10-5/8	20-7/16	Manual Hydraulic	7 x 4-11/16	27.2	216.00
LW055	9322	20 Tons	7-3/16	12-5/16	Manual Hydraulic	7 x 4-11/16	20.9	202.00
LW056	9330	30 Tons	11	17-5/8	Manual Hydraulic	7-11/16 x 6	41	310.00
LW057	9350	50 Tons	11-3/4	18-15/16	Manual Hydraulic	8-11/16 x 7	76.5	959.00

HYDRAULIC BOTTLE JACKS

- Ideal for construction industries
- Safety overload feature prevents use beyond its rated capacity
- · Item can be operated manually or pneumatically • Stroke: 6-1/8"
- Air Pressure: 100-200 psi



OTC

Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Operation Type	Dimensions L" x W"	Price /Each
LW058	4313C	12 Tons	9-1/2	18-3/8	Air Hydraulic	6-3/8 x 7-5/8	407.00
LW059	9321C	20 Tons	9-7/16	17-11/16	Air Hydraulic	8-1/32 x 7-1/16	530.00



HIGH-LIFT TRANSMISSION JACK

- Ideal to remove, install and transport .
- various power train assemblies Table includes adjustable wooden
- support blocks and nylon strap
- Table can tilt in various directions to provide better alignment
- Overall Length: 58-3/4'
- Overall Width: 42-3/4"
- Table Size: 20"D x 30-1/2"W



OTC

Model	Mfg	Lifting	Lowered	Raised	Price
No.	No.	Capacity	Height"	Height"	/Each
LW006	1585A	0.625 Tons	29-1/2	68-1/2	4328.00

DRIVEMASTERTM TRANSMISSION JACK

- · Ideal for larger vehicles with low ground clearance
- Includes differential mounting adapter that
- fits most class 7 and 8 heavy-duty trucks Item can reach a low profile of 6" and
- has a lifting range of 24" to 30"
- Overall Length: 43"
- Overall Width: 30-1/4 .
- Pivoting Handle: +/-15° tilt in all directions

OTC

Model	Mfg	Lifting	Lowered	Raised	Price
No.	No.	Capacity	Height"	Height"	/Each
LW002	5130	0.5 Tons	6	30	2514.00

LOW-LIFT TRANSMISSION JACK

- Includes adapter for most class 7 and 8 heavy-duty trucks transmissions
- Safety overload feature prevents use beyond its rated capacity

1 Ton

- Ideal for trucks that have low ground clearance
- Wheel Diameter: 3.5" .
- Overall Length: 43-1/2" Overall Width: 26" .



6-7/8

35-1/4

2581.00

SCISSOR [®]	TRANSMISSIO	N JACK
----------------------	-------------	--------

- Ideal to remove, install and transport
- various power train assemblies
- Scissor design allows for larger working platform
- Table features wooden support blocks and strap Table can be tilted manually or
- with non-impact air wrench
- Wheel Diameter: 8"
- Overall Base Dimensions: 33"D x 48"W
- Table Size: 20"W x 32"D
- Tilt Range: 15° side-to-side Compliant: ANSI & PALD

				/	
Model	Mfg	Lifting	Lowered	Raised	Price
No.	No.	Capacity	Height"	Height"	/Each
LW004	5285	0.825 Tons	31-1/2	74-1/2	7919.00

LOW-LIFT TRANSMISSION JACK

- Includes transmission adapter that fits
- most class 7 and 8 heavy-duty trucks Pump features fast-acting mechanism
- that quickly raises lifting arm
- · Ideal for trucks with low ground clearance
- Swivel handle allows for easy manipulation in tight work space
- Mounting plate can be tilted
- with the use of a wrench
- Overall Length: 52"
- Overall Width: 32-1/2"
- Maximum Forward Tilt: 15°
- Max Backward Tilt: 20° Maximum Side Tilt: 12°



LOW-LIFT TRANSMISSION JACK

- · Safety overload feature prevents use beyond its rated capacity
- Universal mounting head can be tilted for better alignment and features adjustable brackets
- Includes safety chain to securely
- hold mechanism in place Ideal for vehicles that have
- low ground-clearance
- Base features handle grips on both sides of the item
- Caster Type: Swivel casters
- Overall Length: 34-1/2'
- Overall Width: 19-3/8"
- Pump Handle Rotation: 360° . Maximum Forward Tilt: 67°
- Maximum Backward Tilt: 17°
- Maximum Side Tilt: 30°



Model	Mfg	Lifting	Lowered	Raised	Price
No.	No.	Capacity	Height"	Height"	/Each
LW007	1521A	0.5 Tons	7-1/2	29-3/4	919.00

1522A

LW005

AUTOMOTIVE

HIGH-LIFT TRANSMISSION JACK

- Ideal for larger vehicles
- such as trucks and buses
- Oversized base and heavy wall
- tubing provide better stabilityConvenient foot-operated air pump provides
- smoother handling and positioning
- Base Dimension: 46"D x 46"W
- Maximum Forward Tilt: 50°
- Maximum Backward Tilt: 38°

OIC

- Maximum Side Tilt: 14°
- Manufacturer Warranty: OTC Lifetime Marathon Warranty[®]

Model	Mfg	Lifting	Lowered	Raised	Price
No.	No.	Capacity	Height"	Height"	/Each
LW001	5078	1 Ton	41-1/2	65	5161.00

TWO-STAGE TRANSMISSION JACK

Lifting

Capacity

0.5 Tons

- Air-assist primary stage is designed
- to quickly raise mounting head
- Hydraulic secondary stage is used to accurately align the adapter with the transmission
- Safety overload feature prevents
- use beyond its rated capacity

 Includes safety chain to securely
- hold mechanism in place
- Foot pedal is used during the primary stage and hand pump is used during the secondary stage
- Caster Material: Polyurethane
- Caster Type: 2 swivel casters
- and 2 locking swivel casters
- Base Dimension: 37-1/8"D x 37-1/8"W
- Maximum Forward Tilt: 42°
- Maximum Backward Tilt: 46°
- Maximum Side Tilt: 12

Mfg

1794A

No

Aode

LW010



Height'

76-1/2

/Each

2321.00

HIGH-LIFT TRANSMISSION JACK

- Safety overload feature prevents
- use beyond its rated capacity Universal mounting head can be
- tilted for better alignment and features adjustable corner brackets
- Includes safety chain to securely hold mechanism in place
- Caster Material: Polyurethane
- Caster Type: 2 swivel casters
- and 2 locking swivel casters
- Base Dimension: 37-1/8"D x 37-1/8"W
- Maximum Forward Tilt: 24°
 Maximum Backward Tilt: 19°
- Maximum Side Tilt: 20°

OIC




Model	Mfg	Lifting	Lowered	Raised	Price
No.	No.	Capacity	Height"	Height"	/Each
LW012	1793A	0.5 Tons	35	71-5/8	1797.00

TWO-STAGE TRANSMISSION JACK

- Features two-stage hydraulic cylinder design
- Includes folding foot pedal
- for added precision and control
- Features universal mounting head with wide tilt range for better alignment
- Base Dimension: 41"L x 41"W
- Maximum Forward Tilt: 50°
- Maximum Forward Tilt: 30°
 Maximum Backward Tilt: 20°
- Maximum Backward Tilt
 Maximum Side Tilt: 10°



			U		
Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW009	5237	0.5 Tons	34-1/2	75	7001.00



Height"

37-5/8





Lifting Raised Operation Price Mfq Lowered No. Capacity Height" Height /Each Type LW029 1507B 5 Tons 5-7/8 22 Air Hydraulic 1594.00 FLU070 HDJ10P 10 Tons 6-3/8 Air Hydraulic 3221.00 22

2-TON FOLDING SHOP CRANE

- 8-ton hydraulic ram features top-of-stroke and safety
- overload bypass system for maximum pump protection
- Compact design uses less garage space when not in use
- 4-position boom extends from 41" to 62-1/4" Fold-up legs extend to 65" with safety pins •





Model	Mfg	Capacity	Weight	Price
No.	No.		Lbs.	/Each
LA561	KFC-2TC	4000 lbs. (2 tons)	205	391.00

SERVICE JACK

- Features rear swivel casters and larger
- steel front wheels for maximum mobility
- · Front wheels feature bearings and steel frames
- Handle features lock-and-release mechanism for better control . .
- .
- Saddle Diameter: 5-1/8"
- Overall Reach: 47" •
- Frame Height: 7-3/4" • Handle Length: 40"
- Floor space: 14-3/4" to 56"



OIC

FLEET & AUTOMOTIVE

Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Operation Type	Price /Each
FLU025	HDJ5	5 Tons	6	22	Manual Hydraulic	1539.00
LW036	1510B	10 Tons	6-1/4	22	Manual Hydraulic	1840.00

LOW-PROFILE SERVICE JACK

- Features rear metal wheels and front
- swivel casters with mounted bearings Handle locks in three different positions
- · Both foot pedal and handle can be use to operate lifting mechanism
- Lifting Capacity: 20 Ton(s)
- Lowered Height: 7-1/2"
- Raised Height: 24"
- Operation Type: Manual Hydraulic
- Saddle Diameter: 7-1/2"
- Overall Reach: 97" Frame Height: 10-1/4"
- Handle Length: 42"
- Floor space: 18-1/8" to 61-3/8"



LW037



ENGINE STANDS

- Stands feature H or U shaped design for stability
- Heavy-duty welded steel base for durability
- 360° rotating head allows engines to
- be placed in the desired work position Full swivel casters allow for mobility



STRONGARM

Model No.	Capacity Tons	Base Length''	Stand Height"	Front Width"	Rear Width"	Wt. Ibs.	Price /Each
LA844	1/2	36	34-3/4	31	33-1/4	55	290.00
LA938	5/8	34	34	33	33	83	398.00

STINGER SERIES SERVICE JACK


- Safety overload feature prevents use beyond its rated capacity
- Reinforced construction provides better stability
- Compact design makes item
- easy to manipulate and handle
- Lifting Capacity: 2.25 Ton(s)
- Lowered Height: 5" Raised Height: 18"
- Operation Type: Manual Hydraulic
- Saddle Diameter: 4"
- Overall Reach: 21"
- Frame Height: 6-1/2"
- Handle Length: 39-1/2"
- Floor space: 13-1/2"W x 24-1/2"D



5302

LW024





ALUMINUM SERVICE JACK & STAND PACK

- Pack includes 1 service jack and 2 jack stands
- Ideal for ground-hugging high-performance cars •
- Jack stand features 6 holding positions to accommodate vehicles with low or high heights
- . Made out of aircraft-grade aluminum for easy transport
- Service jack can go underneath vehicles as low as 3.4" by removing the saddle •
- Service jack features quick-lift system where vehicles get in the air with only 5 pumps Jack stand has a minimum height of 9.5" and a maximum height of 15.16" •
- · Jack stands features a flat round base to prevent damages to surfaces
- Service jack features mounted handles on either side •
- Lifting Capacity: 2 Ton(s)
 Lowered Height: 3-1/4
- Raised Height: 18-1/2" Operation Type: Manual Hydraulic .
- Service Jack Weight: 41 lbs. • Wheel Diameter: 2.5"
- Caster Diameter: 1.75" • Handle Length: 47.625"
- Service Jack Saddle Diameter: 4.5" •
- Jack Stand Saddle Size: 2.17"W X 1.97"D •
- Jack Stand Base Diameter: 7" •
- · Jack Stand Weight: 4.7 lbs.

Mfg No.

1533A

1582A

LDJA2

Model

LW019

FLU021

No. LW020

Service Jack Meets: ASME PASE-2014

LW019 LW020 FLU021

STINGER SERIES SERVICE JACK	& STAND PACK

- Pack includes 1 service jack and 2 jack stands
- Service jack features reinforced construction for better stability
- Service jack features safety overload system that prevents use beyond its rated capacity
- Jack stand features 11 holding heights to accommodate various vehicles with low or high heights

Description

Jack & Stand

Stand

Jack

OIC

/Each

749.00

170.00

599.00

- Jack stand features welded foot pads that prevent item from sinking into soft ground or asphalt
- Compact design makes items easy to manipulate and handle
- Lifting Capacity: 3 Ton(s)
- Lowered Height: 5-3/4" •
- Raised Height: 18-1/2" .
- Operation Type: Manual Hydraulic
- Saddle Diameter: 4"
- Overall Reach: 21"

Model

No. LW026

- Frame Height: 6-1/2"
- Handle Length: 39-1/2"
- Floor space: 13-1/2"W X 24-1/2"D
- Jack Stand Lock Type: Locking Handle/Ratchet
- Jack Stand Height Range: 12" to 17-11/16" •
- Jack Stand Base: 8-1/4"W x 7-1/2"D .
- Jack Stand Weight: 7.25 lbs •

a weight 7.25 lbs.				
Mfg		Price		
No.	Description	/Each		
5300	Jack & Stand	464.00		







UNDER AXLE JACK

- Bring the versatility of air-assist operation to your shop's lifting tasks
- Self-retracting, spring return feature with long 49-1/2" T-handle lets you easily position jack under vehicles with long overhangs
- One pull of the handle activates the self-retracting 22-ton capacity ram without having to crawl underneath the vehicle
- · Large rubber-tired steel wheels for maneuverability and movement on most types of terrain
- Three included saddle attachments for multiple height adjustments based on vehicle being lifted (3/4", 1-15/16", and 3-7/8" lengths)
- · Ideal size for safely lifting heavy-duty vehicles
- · Meets all 5 ASME PASE-2019 safety standards for service jacks
- Overall Height: 8-1/4"
- Overall Width: 11-3/4"
- Overall Length: 22-3/5"
- Air Pressure: 90 145 PSI
- Reach: 69.87"
- Saddle: 3" Diameter, round with centre notch
- Frame Height: 8.27"
- Footprint: 22.63" x 11.73"
- Wheels: (2) 7.88" Fixed, rubberized steel
- Manufacturer's Warranty: Limited lifetime

			U	
Model No.	Mfg No.	Lifting Capacity	Lifting Range"	Price /Each
FLU071	100893	22 Tons	8.27 - 20.67	644.00



PORTABLE FLOOR CRANES

- Features 2-speed hydraulic hand pump for fast and easy lifting
- Convenient fold up design maximizes use of floor space
- Includes steel lifting chain with length of 16-7/8' •
- Capacity with Boom Extended and Retracted: 1650 lbs. and 2200 lbs.
- Overall Height (Boom/Arm Extended): 117"
- Overall Height (Boom/Arm Horizontal): 80"
- Effective Boom Reach (Retracted and Extended): 33" and 48"
- · Overall Length: 83"
- Dolly Wheel Diameter (Rear Wheels): 5" .
- Front Wheels Diameter: 6" Chain Type: Grade 43



OIC

Model No.	Mfg No.	Capacity	Arm Length"	Overall Height"	Lift'	Price /Each
LW040	1819	2200 lbs. (1.1 tons)	48	80	9.75	9088.00
LW041	1820	4400 lbs. (2.2 tons)	50-1/2	82	10.17	11534.00

PORTABLE FOLDING CRANES

- Convenient fold-up design is ideal for maximizing use of floor space
- Capacity with Boom Extended and Retracted: 500 lbs. and 2000 lbs.
- Overall Height (Boom/Arm Extended): 94"
- Overall Height (Boom/Arm Horizontal): 87"
- Effective Boom Reach (Retracted and Extended): 24" and 36"
- Leg Width: 32-1/2" .
- Rear Casters Diameters: 3-1/2" .

OTC

Front Wheels Diameter: 5-7/8"

Model No.	Mfg No.	Capacity	Arm Length"	Overall Height"	Lift'	Price /Each
LW044	2002	2000 lbs. (1 tons)	36	57	7.83	1060.00
LW045	2004	4000 lbs. (2 tons)	48	81	8.67	1213.00

COMBINATION SERVICE JACK

- Service jack doubles as a jack stand by using locking pin
- Features removable 40
- Operation Type: Air Hydraulic
- Stroke: 10-7/8" •
- at 200 PSI air pressure

Mfg

1591B

No.

Manufacturer Warranty: OTC Lifetime Marathon Warranty®



- Boom length can be adjusted to handle 2 tons, 2.5 tons and 3 tons
- Maximum Boom Height for 2 Tons, 2.5 Tons, and 3 Tons: 161-7/8", 150-11/16", and 139-1/2"
- Minimum Boom Height for 2 Tons, 2.5 Tons,
- and 3 Tons: 6", 17-3/8", and 28-3/4" Inside Leg Length for 2 Tons, 2.5 Tons,
- and 3 Tons: 91-11/16", 76-1/8", 43-1/4"
- Wheel Diameter: 8" •
- · Dolly Wheel Diameter: 5"



Model	Mfg	Pump		Arm	Overall		Price
No.	No.	Туре	Capacity	Length"	Height"	Lift'	/Each
LW042	1814	Electric Hydraulic Pump	6000 lbs. (3 tons)	94-1/4	87	13.49	35563.00
LW043	1813	Hydraulic Hand Pump	6000 lbs. (3 tons)	94-1/4	87	13.49	26692.00

AUTOMOTIVE SLINGS

- Item can only be used in conjunction with floor cranes
- Hooks and chain are forged together
- for added security and strength
- Speed handle and hex drive
- required to tilt or level the sling



O	IC	
Model	Mfg	

Model	Mfg		Chain	Chain	Hook	Chain	Price
No.	No.	Capacity	Size"	Length"	Туре	Grade	/Each
LW046	1805	2000 lbs. (1 tons)	1/4	56-1/2	Oblong & Slip	43	1186.00
LW047	1806	4000 lbs. (2 tons)	5/16	65-3/4	Oblong & Slip	70	1651.00

VEHICLE LIFT PACK

- Pack includes 2 vehicle lifts and must be used together to lift vehicles
- Item lifts vehicles from the tires and not from the frame or axle members
- Ideal for lifting class 7 and 8 tractors
- Ideal for situations where there is limited
- ground-clearance or lack of clear access Items can function as a support
- stands when retention pin is inserted
- Capacity is based on items
- being used in pairs
- Overall Height: 53-1/4"
- Overall Width: 41-1/2"
- Overall Length: 39-1/2"
- Air Pressure: 150 PSI
- Saddle Width: 19-1/2"
- to 24-1/2" dia. rim sizes Manufacturer Warranty: OTC Lifetime Marathon Warranty®



Lifting Capacity	Lifting Range''	Price /Each
11 Tons	0 - 24	31158.00
	Capacity	Capacity Range"



Lifting

Capacity

10 Tons

Raised

Height'

50-1/2

Price

/Each

LW014

3751.00

Lowered

Height"

18-3/4

HIGH-LIFT TRANSMISSION JACKS

SINGLE STAGE

- Overall max height of 74 3/4"
- Release valve designed for controlled lowering
- Head can be tilted 15° forward and 10° backward for proper alignment of splines and bolt holes
- Adapter and safety chain included



TWO STAGE

- · Rugged and stable enough to handle car and light truck transmissions
- Carrier tilts for precise alignment
- Two-stage hydraulic ram
- Wide base with swivel casters assures safe, stable load distribution
- Specially finished ram, pump and
- piston ensure prolonged seal life Safety chain included





<u>STRONGARM</u>

Model No.	Capacity Ibs.	Stage	Lowered Height"	Raised Height"	Forward Tilt	Backward Tilt	Left Tilt	Right Tilt	Wt. Ibs.	Price /Each
LA815	1000	Single	45	71	30°	15°	-	-	96	593.00
LA830	1000	Two	33 1/2	72 1/2	40°	15°	50°	20°	203	1354.00
LA831	2000	Two	33 1/2	72 1/2	40°	15°	50°	20°	242	1972.00



10" X 14" CAUTION SIGNS

- Black letters on yellow field
- Material: Vinyl
- Display Type: Adhesive •



SGM049

ATTENT CALE-ROUES DOIVENT ÊTRE UTILISÉES AVANT LE CHARGEMENT ET DÉCHARGEMENT

SEE554

Model		Price
No.	Description	/Each
SGM049	English Caution Sign	15.35
SEE554	French Caution Sign	20.80

RAIL CHOCKS

- · These rugged steel rail chocks provide an effective means of blocking railcars for safe loading and unloading
- · Steel points on chock heads bite into rail to prevent sliding. Standard finish
- in railroad maintenance yellow Integral 7 1/2" x 9 1/2" sign reads "chock" Single rail chock for stoppage in one •
- direction; double rail chock for stoppage in both directions (with rubber strap and hooks for greater tension)
- Choice of exposed (above ground) or flush (level with ground) chocks





Model		Wt.	Price
No.	Description	lbs.	/Each
FOR EXPOSED RAIL			
KH016	Single Chock	12	359.00
KH021	Double Chock	16	539.00
FOR FLUSH RAIL			
KH015	Single Chock	12	389.00
KH020	Double Chock	16	539.00

WHEEL CHOCKS





Model No. KH963 Price/Each \$36.95

> FLEET & AUTOMOTIVE



WHEEL CHOCK REFERENCE GUIDE

Select a wheel chock based on the gross operating weight and tire diameter of the vehicle.

WHEEL CHOCKS

INDUSTRIAL SAFETY PRODUCTS, INC.

		TIRE DIAMETE	R RANGE					DOGINIAL ON		10, 110.
[Up to 32" Dia.	Up to 35" Dia.	Up to 38" Dia.	Up to 46" Dia.	Up to 65" Dia.	Up to 95" Dia.	Up to 105" Dia.	Up to 142" Dia.	Up to 165" Dia.
OPERATING WEIGHT	Up to 30 000 lbs.	KH971 KH966	KH971	KH968	KH968	KH977 M0005	KH978	KH978	_	_
	Up to 40 000 lbs.	KH970 KH967	KH970	KH969	KH969	KH977 M0005	KH978	KH978	_	_
	Up to 50 000 lbs.	KH967	KH968	KH969	KH969	KH977, M0005	KH978	KH978	_	_
	Up to 60 000 lbs.	KH968 KH967	KH968	KH969 KH972 KH973	KH969 KH974 KH975	KH977 M0005	KH978	KH978	-	-
	Up to 70 000 lbs.	KH969	KH969	KH792 KH973	KH974 KH975	KH977 M0005	KH978	KH978	_	_
	Up to 80 000 lbs.	KH792 KH973	KH792 KH973	KH792 KH973	KH974 KH975	KH977 M0005	KH978	KH978	_	-
VEHICLE	Up to 150 000 lbs.	_	_	_	KH974 KH975	KH977 M0005	KH978	KH978	KH980	KH979
GROSS V	Up to 245 000 lbs.	_	_	_	KH977	KH977 M0005	KH978	KH978	KH980	KH979
ŝ	Up to 366 000 lbs.	_	_	_	_	KH025	KH978	KH978	KH980	KH979
	Up to 550 000 lbs.	_	_	_	_	KH978	KH978	KH978	KH980	KH979
	Up to 855 000 lbs.	—	—	—	—	KH980	KH980	KH980	KH980	KH979
	Up to 1 600 000 lbs.	_	_	_	_	KH979	KH979	KH979	KH979	KH979

Note: A minimum of four wheel chocks must be used for gross vehicle operating weights from 855000 - 1600000 lbs

GENERAL PURPOSE POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with over-the-road trucks,
- trailers, pickups and utility vehicles • Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Eyebolt for ropes or chains

КН966

- Colour: High visibility orange
- Sold per each, designed to be used in pairs



KH792

Model	Mfg.	Overall Dimensions	Wt.	Price
No.	No	L" x W" x H"	lbs.	/Each
KH966	UC1400-4.5	10 x 81/2 x 5	4.5	94.30
KH967	UC1400-6	10 x 81/2 x 5	6	122.00
KH968	UC1500-4.5	11 1/2 x 9 x 8 1/2	4.5	90.00
KH969	UC1500-6	11 1/2 x 9 x 8 1/2	6	106.00
KH970	UC1700	11 1/4 x 8 x 8 1/4	3.5	82.40
KH971	UC1700	81/2 x 71/2 x 61/4	2	57.60

ALL-TERRAIN HEAVY-DUTY POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with underground mining
- equipment, fire fighting and large utility vehicles • Resistant to oils, fuels and solvents
- Resistant to ons, rues and
 Easy-grip carrying handle
- Includes replaceable aluminum
- traction cleats or rubber pads
- Colour: Safety yellow

Model	Mfg.	Overall Dimensions			ensions Base		Wt.	Price	
No.	No.	L"	x	W"	x	Η"	Configuration	lbs.	/Each
KH792	AT3512-AC	15 1/2	х	8 1/2	Х	8 1/4	Aluminum Ice Cleat	6.9	351.00
KH973	AT3512-RP	15 1/2	Х	8 1/2	х	8 1/4	Rubber Pad	6.7	369.00
KH974	AT3514-AC	21	х	11 1/4	х	12 1/4	Aluminum Ice Cleat	15.7	544.00
KH975	AT3514-RP	21	х	11 1/4	х	12 1/4	Rubber Pad	16.7	509.00

HEAVY-DUTY POLYURETHANE WHEEL CHOCK • Max Gross Vehicle Operating Weight: 245 000 lbs. • For Tire Diameter: 46" to 65"

- · Durable polyurethane construction
- Safety orange for greater visibility
- Resistant to oils, fuels and solvents
- · Ideal for use with ground vehicles and heavy equipment
- Payloads up to 70 tons when using 2 x wheel chocks
- Sold per each, designed to be used in pairs



Model		Dimensions					Wt.	Price
No.	Colour	W"	х	D"	x	Н"	lbs.	/Each
M0005	Orange	14	Х	17	х	14	25	404.00

HEAVY-DUTY POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with ground vehicles
- and heavy equipment
- · Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Mounting hole for ropes, chains or brackets
- Includes replaceable rubber pads
- Optional studs available for
- increased traction on snow and ice

Colour: Safety yellow

KH977 Overall Dimensions Wt. L" x W" x H" Ibs.

model	mrg.	overall Dimensions	Wt.	Price
No.	No	L" x W" x H"	lbs.	/Each
KH977	MC3009	15 x 15 1/10 x 11	14.5	438.00
KH978	MC3010	17 7/10 x 15 1/2 x 10	19	630.00
KH979	MC3011	24 3/5 x 14 1/2 x 16	32	826.00
KH980	MC3012	21 9/10 x 14 9/10 x 10 3/5	23.75	742.00

MOVING SUPPLIES & TIE DOWNS

LOGISTIC STRAPS

- Designed to handle most interior van loading requirements
- Constructed from resin-coated polyester
- Standard 48" fixed end

ND356

- Adjustable ends are sewn captivate to avoid loss or theft
- Straps are colour-coded for ease of identification
- Comes in either a ratchet or cam style of tensioning buckle
- Comes standard with CVSA approved rating tag · Meets both D.O.T and W.S.T.D.A. regulated standards
- Available in industry standard lengths, 12', 16' and 20' Special lengths are available upon request



KINEDYNE[®] The Cargo Control People!

						0		-
Model No.	Mfg. No.	Description	Length'	Colour	Working Load Limit Ibs. kg		Price /Each	
RATCH	ET STYLE							
ND352	641201	Spring Loaded "E"	12	2	Gold	1000	455	15.90
ND353	641601	Spring Loaded "E"	16	2	Grey	1000	455	16.90
ND354	642001	Spring Loaded "E"	20	2	Blue	1000	455	18.30
PE955	641204	Wire Hook	12	2	Gold	500	230	22.20
PE956	641604	Wire Hook	16	2	Grey	500	230	23.40
PE957	642004	Wire Hook	20	2	Blue	500	230	25.30
CAM BI	JCKLE STY	ΊΕ						
ND355	651201	Spring Loaded "E"	12	2	Gold	835	380	14.30
ND356	651601	Spring Loaded "E"	16	2	Grey	835	380	17.00
ND357	652001	Spring Loaded "E"	20	2	Blue	835	380	17.70
PE958	651204	Wire Hook	12	2	Gold	500	230	18.60
PE959	651604	Wire Hook	16	2	Grey	500	230	21.30
PE960	652004	Wire Hook	20	2	Blue	500	230	23.30

HEAVY-DUTY UTILITY STRAPS

- Constructed from resin coated polyester
- Heavy-duty ratchets
- Extremely durable fittings
- . Brilliant blue color
- Comes standard with CVSA approved rating tag
- Meets both D.O.T and W.S.T.D.A. regulated standards

KINEDYNE The Cargo Control People!"

Model	Mfg.				Workin Lin	Price	
No.	No.	Description	Length'	Width"	lbs.	kg	/Each
ND361	711681PK	Narrow Wire Hooks	16	1	835	380	16.80
PE961	711681/45PK	Narrow Wire Hooks and Floating "D" Rings	16	1	835	380	15.00
ND905	711386PK	Narrow "U" Wire Hooks	13	1	167	76	17.60
PE962	711587PK	Vinvl Coated "S" Hooks	15	1	500	230	18.10

RATCHET UTILITY STRAPS

- · Ideal tie-down straps to use for light-duty jobs
- Ideal for securing loads such as boxes, bicycles, toolboxes, or anything that you don't want moving and rolling around in the back of your truck or trailer
- Corrosion resistant, heat-treated carbon steel ratchet is designed to help achieve maximum tensioning for maximum control
- Heat-treated carbon steel S-hooks that have been
- manufactured with versatility and strength S-hooks are very simple to use and will
- slip into nearly any type of anchor point Hooks are vinyl coated in order to
- protect the hooks, the cargo, and the vehicle from damage
- Overall Breaking Strength: 1500 lbs. (680 kg)
- Standard(s) Met: WSTDA (Web Sling Tie Down Association)

The Car

The Cargo Control People:						
Model Mfg. No. No. Lenath' Width				Working Load Limit		
No.	Length'	Width"	lbs.	kg	/Each	
15531	12	1	500	230	36.63	
	Mfg. No.	Mfg. No. Length'	Mfg. No. Length' Width"	Mfg. Working Lo No. Length' Width" Ibs.	Mfg. Working Load Limit No. Length' Width" Ibs. kg	

RATCHET STRAPS

- Designed to handle most type of flat-bed tie-downs
- Constructed from resin-coated polyester
- Standard 18" fixed end
- Comes standard with CVSA approved rating tag and working load limit stencil
- Meets both D.O.T and W.S.T.D.A. regulated standards
- Special lengths are
- available upon request



KINEDYNE The Cargo Control People!

Model	Mfg.				Workin Lir	Price	
No.	No.	Description	Length'	Width"	lbs.	kg	/Each
ND349	513020	Flat Hook	30	2	3335	1513	32.30
ND351	513060	Wire Hook	30	2	1670	757	34.10
PE951	553021	Flat Hook	30	3	5400	2450	71.00
PE952	553036	Wire Hook	30	3	5400	2450	101.00
PE953	553040	Chain Anchor	30	3	5400	2450	97.00
PE954	593021	Flat Hook	30	4	5400	2450	115.00

RATCHET AUTO TIE-DOWNS WITH UNIVERSAL HOOK

- Secure autos inside or on a trailer
- with floor-mounted E or A logistic tracks Cluster hook: "R" hook for GM and Chrysler,
- "T" hook for Ford and "J" hook for imports



The Cargo Control People!

Model	Mfg.			Working Load Limit		Price	
No.	No.	Length'	Width"	lbs.	kg	/Each	
ND358	15360	7	2	2000	907	60.30	

RATCHET STRAP

Designed to handle most types of

flatbed tie-down requirements 10,000 lbs. break strength

Type: Wire Hook



model	mig.			working Load Limit			
No.	No.	Length'	Width"	lbs.	kg	/Each	
FLT005	513084	30	2	3333	1511	35.30	
-							

WINCH STRAPS

All Kinedyne® winch straps are designed to provide the strength and durability demanded

- by flat-bed operators today.
- Constructed from resin-coated polyester Comes standard with CVSA approved
- rating tag and working load limit stencil
- Meets both D.O.T and W.S.T.D.A. regulated standards
- Special lengths are available upon request



The Cargo Control People!

Model	Mfg.				Workin Lir	-	Price
No.	No.	Description	Length'	Width"	lbs.	kg	/Each
PE980	223020	Flat Hook - Winch Strap	30	2	3335	1513	20.20
PE981	223060	Wire Hook - Winch Strap	30	2	1670	751	18.50
PE982	323021	Flat Hook - Winch Strap	30	3	5400	2450	26.40
PE983	323040	Chain Anchor - Winch Strap	30	3	5400	2450	28.20
PE984	423010	Delta Ring - Winch Strap	30	4	5400	2450	26.90
PE985	423021	Flat Hook - Ratchet Strap	30	4	5400	2450	22.60

MOVING SUPPLIES & TIE DOWNS

SAF-T-LOK BARS

- Designed for economy and ease of operation •
- Constructed with high strength industrial round tubing Easy to close and lock with its heavy-duty steel rack,
- handle and cast aluminum housing
- Replaceable molded pivoting rubber feet, 2" x 4" that grip firmly to trailer walls
- Easy to open trigger release
- Adjusts from 90" to 105"
- Optional cargo hoop set, two hoops, which bolts quickly and easily to provide greater area of holding surfaces (installation hardware included)
- Available in either steel or aluminum versions
- Extra long steel version is available upon request

Description

Steel Saf-T-Lok Bar

Cargo Hoop Set



KH575

KH574

Price

/Each

37.90

57.80

74.90

Wt.

lbs.

114

8.5

133

- JACK BARS · Designed to hold securely in place
- Constructed with high strength industrial square tubing
- Patented quick-release handle assembly which allows the
- operator to quickly adjust the length of the bar
- Durable jacking mechanism that securely hold the bar in place Replaceable molded pivoting 4" x 4"
- rubber feet, that grip firmly to trailer walls Adjusts from 86" to 114"

KINEDYNE[®]

Galvanized finish



	go Control Peop			
Model	Mfg		Wt.	Price
No.	No.	Description	lbs.	/Each
PE108	JB101XL	Square One Piece Jack Bar	17.2	65.10

ALUMINUM DECKING/SHORING BEAMS

- For 96" and 102" trailers
- Made from extruded high strength aluminum
- Designed to give maximum strength at the least possible weight
- Keyhole slot allows the beams to be hung and stored in the trailer out of the way when they are not in use
- Decking/Vertical Rating: 2200 lbs. uniformly distributed working load limit
- Head assemblies are all steel, zinc-plated and tapered for ease of operation •
- Shoring/Horizontal Rating: 2000 lbs. uniformly distributed working load limit
- Note: Working load limits are 1/3 of the ultimate breaking strength.

Model No. ND360

Mfg. No. FE8066-3 Price/Each \$106.00

> The Cargo Control People!



CHAINS

Kinedyne® allows consumers to buy chain pre-cut and assembled with grab hook in an "Easy to Carry - Easy to Store Box"

- All Chain is Transportation Grade 70
- Precut to either 16, 20 or 25 foot lengths
- Comes fully assembled with
- installed grab hooks Gold dichromate finish
- All markings & ratings are compliant with the National Association of Chain Manufacturers (NACM)



KINEDYNE The Cargo Control People!

				Wor	Working	
Model	Mfg.	Mfg.		Load	Load Limit	
No.	No.	Length'	Size"	lbs.	kg	/Each
PE963	10034-16BX	16	5/16	4700	2135	55.30
PE964	10034-20BX	20	5/16	4700	2135	71.40
PE965	10034-25BX	25	5/16	4700	2135	86.20
PE966	10038-16BX	16	3/8	6600	3000	82.10
PE967	10038-20BX	20	3/8	6600	3000	98.80
PE968	10038-25BX	25	3/8	6600	3000	115.00



Mfg.

10085

No.

KINEDYNE The Cargo Control People!"

SERIES E TRACK HORIZONTAL

- Material: High strength 12-gauge steel
- Minimum Yield: 50 000 PSI
- Finished: Galvanized
- Weight: 16.2 lb.

Model

ND698

No.

Length: 10 ft. Model No. ND359

Mfg. No. 43001 Price/Each \$46.10





Welding galvanized material may form toxic fumes. Welding should be done with adequate ventilation.

ROPE TIE-OFFS

- Made with 2" wide 4900G webbing and include 1-27 D-Ring hardware
- Are tagged to comply with North America Cargo Securement Standards
- Working Load Limit: 1,000 lbs.

Fitting Length: 6" Model No. PG110

Mfg. No. 660001 Price/Each \$5.38



CORNER PROTECTORS

- Designed to protect both straps and cargo from damage caused by the load
- Steel protectors feature a corner recess to protect cargo edges
- Material: Steel Length: 5"
- Width: 5'
- Model No. PG096 Mfg. No. 1863 Price/Each \$5.22

Model No. PG097 Mfg. No. 1865 Price/Each \$5.14







KINEDYNE[®]

G096

The Cargo Control People!

The Cargo Control People!

PG097

MOVING SUPPLIES & TIE DOWNS

MOVING STRAPS

- Allows for the safe movement of appliances and larger items
- Movers can constantly stay in an upright position during
- the move, reducing the risk of back injuries

 Nylon (5000-lb test)
- Includes: two transport straps, two adjustable straps

Model No. MD223 Price/Each \$375.00





- Durable stretch bungee cord material
- High tensile durable plastic hooks
- Size: 72" x 96"
 32 hooks
- Model No. PC502

Price/Each \$53.80



TWIN WIRE™ 10-PC. BUNGEE CORD SETS

- Two wires in the hook offer twice the strength
- Rounded hook end eliminates risk of scratching
- Colour-coded for quick and
- easy length identification Includes: two each of 18", 24", 32", 40"
- and 10" mini bungee cords Model No. PE067

Mfg. No. 3043DAT Price/Each \$29.20





BUNGEE CORDS

- Premium-quality cord with high tensile strength hooks
- Colour-coded by size for easy identification



Model No.	Mfg. No.	Length"	Colour	Price /Each
PG023	501-0122	36	Orange	1.83
PG024	501-0117	18	Blue	1.54
PG025	501-0111	24	Red	3.53

Model		Rated Capacity	Price
No.	Description	lbs.	/Each
PC496	14' x 1" Ratchet Tie-Down with "S" Hooks	1500	13.30

RUBBER TIE DOWNS

RATCHET TIE-DOWNS

- Material: EPDM gives the ability to resist degradation resulting from weathering agents like UV rays and ozone making it perfect weather resistant rubber
- Retains its rebound qualities
 Bubber Tie Downs Straps resist
- Rubber Tie Downs Straps resist cracking and rotting
- Durable Zinc plated steel "S" hooks

KLETOR

Model		Max	Price
No.	Size"	Safe Stretch"	/Each
PE366	5	7.5	1.35
PE367	9	13.5	1.50
PE368	15	22.5	1.85
PE369	21	31.5	2.30
PE370	31	46.5	2.80
PE371	41	61.5	3.35



RUBBER TIE DOWNS SETS

Same great features as Kleton rubber tie downs, in the convenience of sets



Model No.	Description	Includes	Price /Each
PF090	10-Pc. Basic Set	4 x 21" (PE369), 2 x 31" (PE370) and 4 x 41" (PE371)	27.80
PF091	16-Pc. All-Purpose Set	2 x 9" (PE367), 2 x 15" (PE368), 4 x 21" (PE369), 4 x 31" (PE370) and 4 x 41" (PE371)	37.85
PF092	20-Pc. Professional Set	10 x 21" (PE369) and 10 x 41" (PE371)	53.40



AUTOMOTIVE MAINTENANCE

MECHANIC'S ROLLER SEAT

- Frame is constructed of 1" steel tubing
- Padded seat rolls on ball bearing casters .
- Reinforced vinyl over 1 3/4" thick foam .
- Convenient under seat tray keeps tools and parts in easy reaching distance
- Shipped knocked down



Model		Wt.	Price
No.	Description	lbs.	/Each
LT515	Standard roller seat	10	83.20
LT516	18" adjustable height roller seat	14	126.00

MECHANIC CREEPER

- Built-in, padded, adjustable headrest
- 360° swivel casters
- Built-in handle makes it
- easy to adjust the headrest to alleviate neck pain
- Material: Vinyl
- Colour: Black
- Caster Material: Steel



auroratools

Model	Headrest	No. of	Weight	Overall	Overall	Overall	Price
No.		Wheels	Capacity	Length"	Width"	Height"	/Each
FLT527	Adjustable	6	265 lbs.	16-3/4	40-1/4	4-3/4	115.00

ROLLING KNEE DOLLY

- · Great for people working on their knees Constructed of red molded plastic
- with foam cushioned knee cups
- Capacity: 350 lbs. Deck Dimensions: 20.25" W x 10" L
- Model No. MN676

Price/Each \$75.00



STAG4 ERGONOMIC SEATING

- · Ergonomic seat allows user to work in a kneeling position with comfort
- Reduced pressure sensations felt in the knees, ankles and lumbar region 1-lever mechanism for seat height adjustment
- and 20° adjustable slope for kneeling position
- · Padding: Dual-density cushions, closed-cell foam Upholstery for standard unit: Easy to maintain
- black/grey moburg and naugahyde, antibacterial, antistatic material
- For welding unit: Flame retardant natural cow suede Includes small tool tray

Synetik ErgoDesign

Model No	Description	Pr /Ea
0G347	Ergonomic Bench	620.
OG348	Ergonomic Bench w/Welding Fabric	677



Professional contractor quality mechanical bottle screw jack for all-purpose lifts and supports

MECHANICAL BOTTLE SCREW JACKS

- Holds load indefinitely will not creep
- Heavy-duty belt shaped cast base adds stability
- Head pivots to provide maximum contact .
- Easy to carry and position with built-in handle
- Turning bar handle sold separately
- Compliance: ANSI/ASME B30.1 standards

LT348

SCREW JACK

JET

Model No.	Capacity Tons	Minimum Height"	Maximum Height"	Wt. Ibs.	Price /Each
LT348	5	9.45	13.39	9.25	148.00
LT349	10	11.5	17.83	15.64	252.00
LT350	15	13.86	21.38	23.13	291.00
LT351	20	15.83	24.88	34.36	306.00
LT352	25	16.61	26.34	40.31	388.00

LT353

HANDLE TURNING BAR

Model	Dimensions			Use	Price	
No.	D" x L"		L"	with Model	/Each	
LT353	1/2	х	18	LT348	15.00	
LT354	5/8	х	24	LT349	24.00	
LT355	3/4	х	36	LT350	36.00	
LT356	1	х	42	LT351/LT352	71.00	

HYDRAULIC LONG RAMS

- Ideal for applications such as floor cranes,
- engine hoists or trailer jacks
- Comes with flat/round base

STRONGARM

Model	Cap.	Hei	ight		Wt.	Price
No.	Tons	Min."	Max."	Lift"	lbs.	/Each
LA846	3	24 1/4	45	20 3/4"	30	226.00
LA850	8	24 1/4	45	20 3/4"	40	264.00

TRUCK WHEEL DOLLIES

- · Designed to allow one person to handle mounted truck wheels without lifting or straining
- Durable tubular steel construction
- 3 3/4" rollers turn and pivot wheel for
- perfect alignment with lugs Handles wheels up to 24" diameter
- · Weight: 27 lbs.
- Model No. LT223

Price/Each \$217.00

STRONGARM

AUTOMOTIVE MAINTENANCE

BENDIX[®] AIR DISC BRAKE TOOL KIT

Includes:

- (1) KT01 Cup
- (1) T02 Handle for KT01 cup
- (1) KT03 Swivel assembly (made up of KT03-1 short body KT03-2 brass disc and KT03-3 retaining spring)
- (1) KT04 Long strut
- (1) KT09 Flange
- (1) KT15 Fork
- (1) Spring disc brake
- (1) KT05 1-3/8" Black disc
- (1) KT06 1-1/2" Black disc
- (1) KT07 2" Dia. sleeve
- (1)KT08 2-1/8" Dia. disc
- (1) KT10 8" Bolt (1) KT12 3-7/8" Long sleeve

Model No. FLT203 Mfg. No. 80000 Price/Fach \$2369.00



- (1) KT13 10" Bolt
- (1) KT14 Brass nut (1) KT16 Dimpling tool (made up of
- KT16-1 main body, KT16-2 crimper screw, KT16-3 expansion ring, KT16-4 plunger, KT16-5 impling
- pins and KT16-6 Set Screw) (1) KT20 8" Bolt
- (1) KT21 Half sleeve
- (1) KT26 Cap tool (made up of KT26-1 retaining ring, KT26-2
- mandrel and KT26-3 sleeve) (1) KT27 Cap Tool (made up of KT26-1 retaining ring, KT26-2
- mandrel and KT27-3 sleeve)

BLUE COBRATM TRUCK TIRE DEMOUNT TOOL

FLT199

- Quickly demounts nearly any 22-1/2" and 24-1/2" tubeless truck tires, and up to a 13" wide wheel
- Ergonomic shaped steel handle with no-slip grip for optimum leverage while reducing back injuries
- Solid steel Cobra[™] head is press-fit into the steel handle Allows demounting of the tire without lifting
- the entire wheel and tire off the ground Standard service set model FLT200 includes: (1) Blue
- Cobra[™] truck tire demount tool, (1) T45AC Classic[™] tubeless tire iron, (1) Double-end tire spoon, (1) 8 lb. Bucket of euro paste lube, (1) Euro-style lube applicator brush, (1) Aluminum C-Lok[™] bead holder, (1) Leather rim protector
- Deluxe service set model FLT201 includes: (1) Blue Cobra™ truck tire demount tool, (1) 37" T45A Tubeless tire iron, (1) 30" Double-end tire spoon, (1) 30" T11ES bead breaking wedge with safety handle, (1) 16-1/2" Heavy-duty tire hammer with replaceable rubber head, (1) #8 Bucket of euro paste lube, (1) Euro-style lube applicator brush, (1) Aluminum C-Lok[™] bead holder, (1) Leather rim protector

Ken-Tool

Model	Mfg.		Price
No.	No.	Description	/Each
FLT199	35440	Tool Only	599.00
FLT200	35442	Standard Service Set	799.00
FLT201	35444	Deluxe Service Set	969.00

DUAL WHEEL SEPARATOR

- Makes removing stuck or frozen dual steel wheels quick and easy
- Ideal for use on nearly any truck, bus, van or trailer that has dual steel wheels
- Pusher is ball bearing-driven for nearzero turning resistance
- Pusher is heat treated for long-
- lasting strength and durability
- Includes two pullers to cover large truck, trailer and smaller light truck dual wheel applications Components have black oxide or bright nickel
- plating finish for rust and corrosion resistance
- Use with air or electric impact wrench

Comes in a sturdy, compact, easy to store case Model No. FLT190

Mfg. No. 34549 Price/Each \$369.00

I Ken-Tool HEREVER TIRES ARE CE



DUCK BILLED BEAD BREAKING WEDGE & HANDLE

- Handle Material: Fibreglass
- Length: 32" (81cm)

· Weight: 11 lbs. Model No. FLT198 Mfg. No. 35429 Price/Each \$209.00

REPLACEMENT HANDLE

Model No. FLT195 Mfg. No. 35229 Price/Each \$92.90





- NUT INDICATOR
- Designed not to melt under heavy braking situations but will melt if the hub overheats. which will alert driver of hub problems
- · If melting occurs, the non-stick material is removed easily without damaging your wheels or lug nuts
- Easy-to-use and no tools are needed for the application
- Made of durable polymer and is chemical resistant

Ken-Tool

Model No.	Mfg. No.	Fits Lug Nut Sizes	
FLT169	30601	19mm - 23mm (3/4" - 1")	1.06
FLT170	30602	23mm - 30mm (1" - 1-3/16")	1.11
FLT171	30603	30mm - 38mm (1-3/16" - 1-1/2")	1.11
FLT172	30604	38mm - 50mm (1-1/2" - 2")	1.11

FLT172

MERITOR® AUTOMATIC AIR BRAKE SLACK ADJUSTER SET

- Includes: (1) 5/16" Ratchet with double square offset reversible wrench, (1) Fork end tool
- Fork end tool holds release of anti-reverse pin during adjustment
- Ratchet allows more power with less fatigue
- Ergonomic slip resistant molded resin handles

Model No. FLT187 Mfg. No. 33200

Price/Each \$98.80





PILOT SLEEVE™ WHEEL CENTERING SLEEVES

Centering sleeve takes up the gap between the 22 mm stud and the 26 mm wheel opening, realigning the wheel to the true center of the hub bearing

PILOT SLEEVE™ ZIP TOOL

Installation and removal tool for Pilot Sleeve™ Wheel Centering Sleeves



Price		Mfg.	Model
/Each	Description	No.	No.
19.90	Package of 6	30631	FLT179
339.00	Bucket of 100	30632	FLT180
2990.00	Bucket of 1000	30633	FLT181
44.60	Zip Tool	30630	FLT178

DOUBLE END TRUCK WRENCH

- Use on trucks, buses, farm, and off-road vehicles
- Great for on-the-road service
- Forged from 1" alloy steel for long lasting strength

FLT331

Ken-Tool

Model No.			3		Socket Sizes	Weight Ibs.	Price /Each
FLT331	32502	TR2	1" with 5/8" square x 1-1/4"	4.3	19.90		
FLT180	30632	TRM2	24 mm x 33 mm	4.4	339.00		
FLT181	30633	TRM7	30 mm x 33 mm	4.6	2990.00		

T119 PORTABLE 2-BAR MAGNUM TIRE CAGE

- Designed to accept the new generation of super single and super wide-base truck tires with their higher inflation pressures and air volumes
- Height: 49-1/2"
- Width: 24-1/2"
- Base (Closed): 7" x 30"
- Weight: 80 lbs.

Model No. FLT356 Mfg. No. 36019 Price/Each \$679.00

2-BAR TIRE INFLATION CAGE

- Will hold super singles and super wide radial tires
- . Made from heavy-gauge steel tubing welded to a steel base
- Guards against blown lock rings and rims .
- Designed to meet OSHA regulation requirements for medium, heavy-duty truck, OTR, tractor, and super singles
- Mandatory for any shop working with tubeless and multi-piece rims
- OSHA reg. 29-CFR Part 1910.177

Ken-Tool°

Model Mfg.			Dim		Base	Price
No.	No.	W"	х	Н"	(Closed)"	/Each
FLT345	36001	16	Х	41	7 x 21-1/2	629.00
FLT343	36007	20-1/2	х	43-1/2	7 x 27	639.00

TIRE SERVICING TOOLS

T68 STANDARD WHEEL COVER PULLER & REPLACER

- · Removes hub caps quickly and easily without gouging or scratching them
 - Rubber head prevents damage to hub cap and is replaceable
- Length: 14" (36cm)
- Stock: 7/16" (11.1mm)
- Weight: 1.3 lbs. Model No. FLT185

Mfg. No. 31568 Price/Each \$51.10







- · Designed to keep the sensor in a safe and secure position after the mounting
- nut has been removed and the sensor is released from the wheel
- · Protects valuable valve stem sensors that mount through the valve hole
- T-shaped tool attaches to sensor to keep it from dropping in to tire cavity when mounting or demounting tire
- Knurled surfaces provide positive grip even when coated with water or bead lubricant
- · Fits through all valve stem holes

Material: Hardened Steel

Model No. FLT168

Mfg. No. 30209 Price/Each \$7.99





- Holds outer cap nut on dual wheels while the inner nut is turned
- · Lip fits in hole to secure wrench in place

Ken-Tool

- Fits Cap Nut Size: 1-1/2"
- Weight: 0.73 lbs.
- Model No. FLT173
- Mfg. No. 30609 Price/Fach \$35.00





- · Made from heavy-gauge steel tubing welded to a steel base
- Guards against blown lock rings and rims
- Designed to meet OSHA regulation requirements for medium, heavy-duty
- truck, OTR, tractor, and super singles Mandatory for any shop working with
- tubeless and multi-piece rims • OSHA reg. 29-CFR Part 1910.177

Ken-Tool

Model Mfg. Number Dim. Price No. of Bars w" H' Base' /Each х **IDEAL FOR PASSENGER & LIGHT TRUCK TIRES** FLT347 21-1/2 x 22 639.00 36003 16 30 **IDEAL FOR SUPER SINGLES & SUPER WIDE RADIAL TIRES** FLT346 20-1/2 x 31-1/2 x 36002 1059 00 4 43-1/2 26 FLT355 36005 20-1/2 43-1/2 41 26 1459.00 5 **IDEAL FOR TRUCK TIRES** FLT349 36008 29 46 34 x 56 2149.00 7 х

FLT355





PORTABLE POWER SOURCE

COMPACT MULTI-FUNCTIONAL JUMP STARTER

- · Perfect everyday device to keep in a purse or pocket
- Capable of boosting engines up to 2.5 L
- Ready to boost up to 15 times at full charge
- Can also charge a mobile device up to 4 times and can hold its own charge for up to 6 months • Battery Capacity: 7500 mAh
- Full Charging Time: 2 hours
- Operating Temperature: -20°C 60°C
- Input: 12 V •
- Output: 5 V Jumpstart peak current: 400A
- · Device Lifetime: 1000 recharging cycles Model No. XH158

Mfg. No. BMC01-B Price/Each \$79.99



boostmi

PLUG-IN STARTING SYSTEM CABLES

- Stainless steel receptacle mounts onto a truck bumper and connects directly to a battery
- Reaches stalled vehicles from front, back or side
- Polarized polycarbonate plug won't break in coldest weather
- · Patented "Stop/Go" safety light
- Heavy-duty stainless steel box
- 25' of tangle-free dual-extruded 4 AWG cables, side terminal adapters, and polarized Lexan© plug
- Wire Gauge: 4 AWG
- Amps: 500 Amps
- Cable Length: 25'
- Vehicle Connection Length: 5'
- · Weight: 17 lbs. Circular Mil. Copper
- Jacket: 41,300 T-94
- Model No. FLU041 Mfg. No. 6139 Price/Each \$662.00



HEAVY-DUTY BOOSTER CABLES

FLU042

PRO MULTI-FUNCTIONAL JUMP STARTER

- Perfect compact device for boosting a vehicle
- Capable of boosting the majority of 12 V engines
- Ready to boost up to 30 times at full charge
- Can also charge a mobile device up to 8 times and can hold its own charge for up to 6 months
- · Comes with a carrying case that can be stored in the glove box
- Battery Capacity: 18000 mAh •
- .
- Full Charging Time: 6 hours Operating Temperature: -20°C - 60°C .
- Input: 14 V
- Output: 5 V
- Peak Current: 350 A
- Device Lifetime: 1000 recharging cycles Model No. XH159

Mfg. No. BMP01-B Price/Each \$134.99



ELITE MULTI-FUNCTIONAL JUMP STARTER

· Perfect for outdoor enthusiasts and people who demand the most out of their equipment

SPLASH MULTI-FUNCTIONAL JUMP STARTER

Perfect for those in need of a water-resistant jump starter option Capable of boosting the majority of 12V outboard engines on the water

- Capable of boosting the both 12V and 24V engines
- Includes two different flashlights,
- USB ports for mobile devices and a 12V socket to outlast all your adventures
- Extremely powerful for its size
- Battery Capacity: 30000 mAh
- Full Charging Time: 7 hours
- Operating Temperature: -20°C 60°C
- Input: 12-24 V
- Output: 5 V
- Peak Current: 600A-800A
- Device Lifetime: 1000 recharging cycles Model No. XH160

Ready to boost up to 30 times at full charge Can also charge a mobile device up to 8 times and can

Comes with a protective carrying case of easy storage

hold its own charge for up to 6 months

Device Lifetime: 1000 recharging cycles

Battery Capacity: 18000 mAh Full Charging Time: 6 hours Operating Temperature: -20°C - 60°C

Mfg. No. BME01-B Price/Each \$264.99



PROFESSIONAL HEAVY-DUTY

Replace or upgrade battery

- chargers and booster cables
- Insulated jaws • No. of Clamps: 2
- law Material: Copper



in acci	
	® _]
boostmi	

Model	Mfg.		Price
No.	No.	Amps	/Each
FLU046	6199	400	48.40
FLU048	6202	500	69.70
FLU049	6205	600	80.00



Model No. XH161 Mfg. No. BMS01-B

Input: 14 V • Output: 5 V Peak Current: 700A

•

boostmi

Model No.	Mfg. No.	Wire Gauge	Amps	Cable Length'	Weight Ibs.	Circular Mil. Copper Jacket	Price /Each
FLU042	6156	5 AWG	400	12	7	32,900 T-94	161.00
FLU043	6159	5 AWG	500	15	9	32,900 T-94	214.00
FLU044	6160	4 AWG	500	20	12	41,300 T-94	335.00
FLU045	6161	1 AWG	800	20	17	83,600 T-94	614.00

FLU045

BOOSTER CABLE CLAMPS





BATTERIES

BOOSTER CABLES

- Clamp design fits on both top-post and side-post batteries
 Surge suppressor on 2, 4, and 6 gauge cables protect a vehicles
- computer system from power surges during boosting
 Cable remains flexible in temperatures as low as -40°C
- Tangle-free





auroratools[®]

Model No.	Wire Gauge	Amps	Length'	Price /Each
XE494	8	150	10	20.75
XE495	6	400	16	43.85
XE496	4	400	20	49.80
XE497	2	400	20	99.70

POW-R-SURGE® BATTERIES



Model	Mfg.	BCI	Reserve	Cold Crank	Cranking Amps	Overall	Overall	Overall		Price
No.	No.	Group Size	Capacity (Minutes)	Amps @ 0°F	@ 32°F	Length"	Width"	Height"	Voltage	/Each
ADVANC	ED PERFORMANC	E AUTOMOTIVE								
NJJ515	526RMF	26R	80	540	665	8-3/4	6-3/4	8	12	155.00
NJJ516	535MF	35	90	550	675	9-3/4	6-7/8	8-7/8	12	189.00
EXTREM	E PERFORMANCE	AUTOMOTIVE								
NJJ531	651RMF	51R	75	500	615	9-3/8	5	8-3/4	12	201.00
XG870	735MF	35	95	640	785	9-9/16	6-7/8	8-7/8	12	223.00
NJJ545	775DT	75/86	95	690	850	9-3/4	7	8-1/8	12	203.00
NJJ546	775MF	75	95	690	850	9-3/4	7	7-1/4	12	207.00
NJJ549	786MF	86	95	690	850	9	6-7/8	8-1/8	12	205.00
NJJ547	778DT	34/78	115	800	985	10-3/4	6-7/8	8	12	235.00
NJJ548	778MF	78	115	800	985	10-3/4	6-7/8	7-1/4	12	228.00
NJJ555	904D	4D	290	1050	1290	20-3/4	8-1/2	10-1/8	12	376.00
NJJ557	908D	8D	430	1400	1720	20-3/4	11	10	12	474.00
EXTREM	E PERFORMANCE	COMMERCIAL								
NJJ502	1231MF	31	185	1000	1230	13	6-3/4	9-1/2	12	227.00
NJJ503	1231PMF	31P	185	1000	1230	13	6-3/4	9-1/2	12	227.00
PREMIUM	A PERFORMANCE	AUTOMOTIVE								
NJJ517	551MF	51	70	450	555	9-3/8	5	8-3/4	12	155.00
XG874	551RMF	51R	70	450	555	9-3/8	5	8-3/4	12	155.00
XG872	6121RMF	121R	80	550	675	8-1/4	6-15/16	8-1/8	12	172.00
NJJ532	658MF	58	85	580	715	10	7-1/4	7	12	164.00
NJJ538	690MF	90	90	600	740	9-9/16	6-7/8	6-7/8	12	205.00
XG878	969RMF	96R	90	600	740	9-9/16	6-7/8	6-7/8	12	205.00
XG875	641MF	41	100	650	800	11-9/16	6-7/8	6-7/8	12	229.00
NJJ529	647MF	47	100	650	800	9-9/16	6-7/8	7-1/2	12	219.00
XG871	659MF	59	100	590	725	9-1/2	7-7/16	7-1/2	12	226.00
NJJ527	640RMF	40R	105	650	800	11	6-7/8	6-7/8	12	232.00
NJJ526	634MF	34	110	690	850	10-3/4	6-7/8	8	12	200.00
XG873	6124RMF	124R	110	700	860	10-1/4	6-7/8	8-3/8	12	210.00
NJJ522	624FMF	24F	115	650	800	10-3/4	6-3/4	9	12	174.00
NJJ523	624MF	24	115	650	800	10-3/4	6-3/4	9	12	174.00
NJJ525	627MF	27	120	710	875	12	6-3/4	9	12	222.00
NJJ540	694RMF	94R	140	790	970	12-7/16	6-7/8	7-1/2	12	335.00
NJJ534	665MF	65	150	850	1045	12	7-3/8	7-5/8	12	218.00
XG877	649MF	49	185	900	1105	13-15/16	6-7/8	7-1/2	12	306.00
PREMIUN	A PERFORMANCE	COMMERCIAL								
XG879	1131MF	31	175	950	1170	13	6-3/4	9-1/2	12	220.00
XG880	1131PMF	31P	175	950	1170	13	6-3/4	9-1/2	12	220.00
XG881	7T31	31	190	730	900	13	6-3/4	9-1/2	12	282.00

WIPER BLADES

ASSURANCE® WEATHERREADY® WIPER BLADE

- Features curved design reinforced with dual-layer steel construction
- Equipped with easy-to-fit adapter system
- Durability tested for 3,000,000 wipes
- Low profile aerodynamic design curves to fit windshield
- Type: All-Season
 Sald (Drived Days Black)
- Sold/Priced Per: Blade

GOODSYEAR

Model No.	Mfg. No.	Length"	Price /Each	Model No.	Mfg. No.	Length"	Price /Each
FLT039	772-14	14	17.20	FLT045	772-20	20	18.70
FLT040	772-15	15	17.20	FLT046	772-21	21	18.70
FLT041	772-16	16	17.20	FLT047	772-22	22	18.70
FLT042	772-17	17	17.20	FLT048	772-24	24	18.70
FLT043	772-18	18	17.20	FLT049	772-26	26	20.90
FLT044	772-19	19	18.70	FLT050	772-28	28	20.90

ASSURANCE® WEATHERREADY® WIPER BLADE WITH REPELMAX TECHNOLOGY

- · Patented coating repels water from windshield
- for maximum vision and safety
- Low profile aerodynamic design curves to fit windshield
 Equipped with easy-to-fit adapter system
- Equipped with easy-to-fit adapter
 Type: All-Season
- Sold/Priced Per: Blade

GOOD

Model No.	Mfg. No.	Length"	Price /Each	Model No.	Mfg. No.	Length"	Price /Each
FLT051	773-14	14	18.70	FLT057	773-20	20	20.50
FLT052	773-15	15	18.70	FLT058	773-21	21	20.50
FLT053	773-16	16	18.70	FLT059	773-22	22	20.50
FLT054	773-17	17	18.70	FLT060	773-24	24	20.50
FLT055	773-18	18	18.70	FLT061	773-26	26	22.00
FLT056	773-19	19	20.50	FLT062	773-28	28	22.00

HYBRID WIPER BLADE

- Combines the premier elements of a conventional blade
 and beam blade for advanced performance
- Equipped with easy-to-fit adapter system
- Type: All-Season
- Sold/Priced Per: Blade

GOODSYEAR

Model No.	Mfg. No.	Length"	Price /Each	Model No.	Mfg. No.	Length"	Price /Each
FLT063	770-14	14	13.80	FLT069	770-20	20	15.40
FLT064	770-15	15	13.80	FLT070	770-21	21	15.40
FLT065	770-16	16	13.80	FLT071	770-22	22	15.40
FLT066	770-17	17	13.80	FLT072	770-24	24	15.40
FLT067	770-18	18	13.80	FLT073	770-26	26	16.50
FLT068	770-19	19	15.40	FLT074	770-28	28	16.50

PREMIUM WIPER BLADE WITH SILENTARMOR™ TECHNOLOGY

- Double-coated heavy-duty steel frame with robust steel support system
 Moly graphite-coated natural rubber squeegee with SilentArmorTM Technology
- Equipped with easy-to-fit adapter system
- Equipped with easy-to-fit adapter system
 Type: All-Season
- Sold/Priced Per: Blade
-

GOODSYEAR

Model No.	Mfg. No.	Length"	Price /Each	Model No.	Mfg. No.	Length"	Price /Each
FLT075	728-11	11	7.69	FLT083	728-19	19	9.39
FLT076	728-12	12	7.69	FLT084	728-20	20	9.39
FLT077	728-13	13	7.69	FLT085	728-21	21	9.39
FLT078	728-14	14	7.69	FLT086	728-22	22	9.39
FLT079	728-15	15	7.69	FLT087	728-24	24	12.00
FLT080	728-16	16	8.39	FLT088	728-26	26	12.00
FLT081	728-17	17	8.39	FLT089	728-28	28	12.00
FLT082	728-18	18	8.39				

HEAVY-DUTY WIPER BLADE

- Features a unique moly-coated squeegee that sets it apart
- For heavy-duty trucks, buses and RVs
- Type: All-Season
- Sold/Priced Per: Blade

GOODSYEAR

Model No.	Mfg. No.	Length"	Price /Each	Mod No.
FLAT BL	ADE			CUP
FLT006	711-12	12	10.60	FLTO
FLT007	711-13	13	10.60	FLTO
FLT008	711-14	14	10.60	FLTO
FLT009	711-15	15	10.60	co
FLT010	711-16	16	10.60	FLTO
FLT011	711-18	18	10.60	FLTO
FLT012	711-20	20	10.60	FLTO
				FLIU

Model No.	Mfg. No.	Length"	Price /Each
CURVE	D BLADE		
FLT013	713-15	15	13.80
FLT014	713-16	16	13.80
FLT015	713-18	18	13.80
CONVE	NTIONAL	BLADE	
FLT016	717-20	20	34.90
FLT017	717-22	22	34.90
FLT018	717-24	24	43.80
FLT019	717-26	26	43.80
FLT020	717-28	28	43.80
FLT021	718-32	32	57.60





DEVEAR

WIPER BLADES

WEATHERBEATER® WIPER BLADE

- · Provides a smooth, clean, streak-free wipe
- All natural squeegee rubber resists cracking, splitting and tearing . caused by heat, cold windshield washer fluid and salt
- Multiple pressure points enable even pressure
- distribution across entire length of blade Galvanized steel frame enhances durability
- Embedded friction reducers help deliver a smooth, clean wipe
- Type: All-Season

Model No.	Mfg. No.	Length"	Price /Each	Model No.	Mfg. No.	Length"	Pri /Ea
UAD903	79812	12	11.70	UAD910	79819	19	11.
UAD904	79813	13	11.70	UAD911	79820	20	11.
UAD905	79814	14	11.70	UAD912	79821	21	11.3
UAD906	79815	15	11.70	UAD913	79822	22	11.3
UAD907	79816	16	11.70	UAD914	79824	24	11.7
UAD908	79817	17	11.70	UAD915	79826	26	11.7
UAD909	79818	18	11.70	UAD916	79828	28	11.7

LATITUDE® WIPER BLADE

- Wiper blade contours to the curvature of your windshield to
- provide even wiping pressure along the full length of the blade Synthetic rubber delivers a smoother, more reliable wipe in all climates
- Specially-blended, graphite-coated rubber .
- delivers a smooth, chatter-free wipe Contoured blade design allows for virtually streak-
- free visibility in rain, sleet and snow Enhanced flexibility and grip achieved through the
- durable, rubber-encased substructure Aerodynamic spoiler reduces noise and wind lift
- Type: Winter

Model No.	Mfg. No.	Length"	Price /Each	Model No.	Mfg. No.	Length"	Price /Each
UAD945	99814	14	23.30	UAD951	99821	21	23.30
UAD946	99816	16	23.30	UAD952	99822	22	23.30
UAD947	99817	17	23.30	UAD953	99824	24	23.30
UAD948	99818	18	23.30	UAD954	99826	26	23.30
UAD949	99819	19	23.30	UAD955	99828	28	23.30
UAD950	99820	20	23.30				

MULTI FIT REAR WIPER BLADE

- Simplifies and minimizes multiple wiper blade assortments by covering 11 configurations in only 4 sizes
- Easy to install and helps to ensure maximum vehicle coverage
- All natural squeegee rubber resists cracking, splitting and tearing caused by heat, cold windshield washer fluid and salt
- Multiple pressure points enable even pressure distribution across entire length of blade
- Embedded friction reducers help deliver a smooth, clean wipe
- Type: All-Season

Model No.	Mfg. No.	Length"	Price /Each	Model No.	Mfg. No.	Length"	Price /Each
UAD898	69811	11	14.10	UAD900	69814	14	14.10
UAD899	69812	12	14.10	UAD901	69816	16	14.10

QUANTUM[®] WIPER BLADE

- · OEM design beam blade that instantly applies a water-repelling coating to the windshield to improve wet weather visibility
- Changes colour over time from black to yellow
- to remind you when to change blades Aerodynamic spoiler enables optimum windshield
- contact and high-speed performance Advanced rubber technology helps ensure smooth
- operation and enhanced durability
- Water repelling coating lasts for months
- Comes pre-installed with adapters to fit 87% of all vehicles without having to change the adapter
- Type: All-Season


12

Model No.	Mfg. No.	Length"	Price /Each	Model No.	Mfg. No.	Length"	Price /Each
UAD928	99516	16	26.90	UAD933	99521	21	26.90
UAD929	99517	17	26.90	UAD934	99522	22	26.90
UAD930	99518	18	26.90	UAD935	99524	24	26.90
UAD931	99519	19	26.90	UAD936	99526	26	26.90
UAD932	99520	20	26.90	UAD937	99528	28	26.90




- OEM design beam blade that instantly applies a water-repelling coating to the windshield to improve wet weather visibility
- Changes colour over time from black to yellow to remind you when to change blades
- Aerodynamic spoiler enables optimum windshield
- contact and high-speed performance Advanced rubber technology helps ensure smooth
- operation and enhanced durability Water repelling coating lasts for months
- Comes pre-installed with adapters to fit 87% of all vehicles without having to change the adapter
- Type: All-Season

Model No.	Mfg. No.	Length"	Price /Each	Model No.	Mfg. No.	Leng
UAD938	99532	17	26.90	UAD942	99536	2
UAD939	99533	19	26.90	UAD943	99537	2
UAD940	99534	20	26.90	UAD944	99538	2
UAD941	99535	21	26.90			







AUTOMOTIVE BULBS



91		NIA				Priced per	Package							Priced per	Package
Model No.	Mfg No.	Trade No.	Bulb Type	Lamp Wattage	Colour	Qty /Pkg.	Price /Each	Model No.	Mfg No.	Trade No.	Bulb Type	Lamp Wattage	Colour	Qty /Pkg.	Price /Eacl
BASIC								BASIC N	AINI						
FLT877	38089	3175	Incandescent	26.88	Off White	10	14.90	FLT790	36035	1003	Incandescent	12.03	Off White	10	12.90
FLT880	38097	3175A	Incandescent	8.3	Amber	10	26.69	FLT791	36063	1004	Incandescent	12.03	Off White	10	13.90
FLT881	38043	3457	Incandescent	8.3	Off White	10	19.90	FLT792	36377	1141	Incandescent	18.43	Off White	10	13.90
FLT882	38047	3457A	Incandescent	26.54	Amber	10	28.90	FLT798	36549	1156A	Incandescent	12	Amber	10	20.90
FLT886	33201	5007	Incandescent	5	Off White	10	13.90	FLT803	36653	1157	Incandescent	8.3	Off White	12	10.74
FLT887	33719	53	Incandescent	1.73	Off White	10	8.59	FLT804	34793	194	Incandescent	3.8	Off White	12	8.34
FLT890	31393	64150	Halogen	65	Off White	10	68.90	FLT806	38113	3057	Incandescent	26.88	Off White	12	22.14
FLT896	39485	64155	Halogen	78	Off White	10	139.00	FLT810	34711	168	Incandescent	4.9	Off White	10	8.59
FLT903	33207	6418	Incandescent	5	Off White	10	14.90	FLT812	38213	3157	Incandescent	26.88	Off White	12	23.34
FLT904	31423	6419	Halogen	62	Off White	10	109.00	FLT816	38099	3157	Incandescent	2	Amber	12	5.79
FLT905	31397	64151	Halogen	45	Off White	10	55.90	FLT830	39579	7442	Incandescent	5.9	White	12	65.40
FLT906	31427	64196	Halogen	70	Off White	10	139.00	FLT835	37477	1891	Incandescent	3.36	Off White	10	8.99
FLT907	38753	64211	Halogen	55	Off White	10	119.00	FLT842	37505	1893	Incandescent	4.62	Off White	10	7.6
FLT908	38749	64212	Halogen	35	Off White	10	139.00	FLT854	37531	1895	Incandescent	3.78	Off White	10	7.49
FLT909	38751	64213	Halogen	70	Off White	10	159.00	FLT866	34821	194NA	Incandescent	3.78	Amber	10	13.9
FLT911	34091	73	Incandescent	1.12	Off White	10	9.89	FLT867	37607	2057	Incandescent	26.88	Off White	10	8.79
FLT912	34123	74	Incandescent	1.4	Off White	10	9.49	FLT869	34887	221-2	Incandescent	12.42	Off White	10	14.90
FLT913	39601	7440	Incandescent	24.98	Off White	10	47.90	FLT872	36561	1157	Incandescent	8.3	Off White	10	7.49
FLT914	39603	7443	Incandescent	24.98	White	10	59.90	FLT873	33235	2825	Incandescent	5	Off White	10	10.90
FLT915	33279	7506	Incandescent	25	Off White	10	25.90	FLT874	38083	3057	Incandescent	26.88	Off White	10	17.90
FLT916	35781	757	Incandescent	2.24	Off White	10	42.90	FLT875	38077	3057	Incandescent	26.88	Amber	10	25.90
FLT918	34233	89	Incandescent	7.54	Off White	10	10.90	FLT876	38081	3156	Incandescent	26.88	Off White	10	17.90
FLT938	35831	906	Incandescent	8.97	Off White	10	10.90	FLT879	34761	194	Incandescent	3.78	Off White	10	6.39
FLT951	35817	904	Incandescent	9.32	Off White	10	11.90	FLT883	38051	2357	Incandescent	26.54	Off White	10	18.90
FLT952	35933	921	Incandescent	17.92	Off White	10	13.90	FLT924	35935	921	Incandescent	17.92	Off White	2	2.6
FLT953	35869	912	Incandescent	12.8	Off White	10	9.79	FLT987	38914	194	LED	0.5	White	1	12.90
FLT957	38671	DE3175	Incandescent	10	Off White	10	17.90	FLT988	38875	1156	LED	2.3	White	2	32.90
ZEVO®								FLT989	38882	3157A	LED	0.5	Amber	2	32.90
FLT991	37688	H8	LED	9	White	2	117.90	LONG L	IFE						
FLT992	37693	9003	LED	12	White	2	161.90	FLT762	30144	3157	Incandescent	8.3	Off White	2	4.48
FLT993	37692	9006	LED	13.2	White	2	158.90	FLT894	38163	4157NA	Incandescent	28.54	Amber	10	29.90
FLT994	37691	H11	LED	13.2	White	2	158.90	FLT897	30155	3557A	Incandescent	12.8	Amber	2	9.39
FLT995	37690	H7	LED	13.2	White	2	158.90	FLT898	30148	4057	Incandescent	28.54	Off White	2	5.79
FLT990	37689	9145	LED	65	White	2	240.90	FLT899	38173	4157	Incandescent	28.54	Off White	10	24.90
FLT996	39250	168	LED	0.7	White	1	14.90	FLT910	39653	H7	Halogen	55	White	10	129.00
FLT997	39238	195	LED	0.7	White	1	14.90	-			-				
FLT998	39212	1156	LED	1.7	White	2	48.90								
FLT999	39230	1157	LED	1.7	White	2	48.90								

HEADLIGHT BULBS

• Replacement for high beam, low beam, or fog light per vehicle owner's manual











FLT978

-	FLT950

			_			Priced per	Package
Model No.	Mfg No.	Trade No.	Bulb Type	Lamp Wattage	Colour	Qty /Pkg.	Price /Each
BASIC							
FLT920	31735	9004	Halogen	45 W	Off White	10	65.90
FLT939	31566	H11B	Halogen	55 W	Off White	1	16.90
FLT949	31561	9012	Halogen	60 W	Off White	1	39.90
FLT958	33783	H13	Halogen	60 W	White	10	199.00
FLT960	31565	H11	Halogen	55 W	Off White	1	12.90
FLT967	31567	H13	Halogen	55 W	White	1	19.90
FLT971	31592	H3	Halogen	45 W	Off White	1	5.69
FLT981	31568	H7	Halogen	56 W	Off White	1	12.90
FLT984	31594	H8	Halogen	35 W	Off White	1	14.90
FLT985	31569	H9	Halogen	70 W	Off White	1	15.90

			FLI9/8			Priced per Package	
Model No.	Mfg No.	Trade No.	Bulb Type	Lamp Wattage	Colour	Qty /Pkg.	Price /Each
BASIC S	EALED						
FLT970	30824	H4651	Halogen	50 W	Off White	1	13.90
FLT972	30825	H4656	Halogen	35 W	Off White	1	13.90
FLT976	30831	H6024	Halogen	40 W	Off White	1	18.90
FLT978	30832	H6054	Halogen	35 W	White	1	15.90
SILVERS	TAR zXe						
FLT937	36390	9005	Halogen	65 W	White	2	94.90
FLT950	36401	9012	Halogen	60 W	White	2	133.90
FLT964	36399	H11	Halogen	55 W	White	2	94.90
FLT983	36398	H7	Halogen	56 W	White	2	92.90

SYLVANIA

TRANSPORT LINE GARAGE BROOM HEAD

- Designed for sweeping up wet and greasy waste, this wooden garage
- broom features hard PVC filaments and a threaded socket Hard bristles help move the most difficult soils, built to last in
- professional environments that require durability and efficiency
- Can be used with any handle within the Vikan Transport System
- Material: Wood, PVC
- Colour: Black
- Bristle Stiffness: Hard





Model No.	Mfg. No.	Brush Length"	Brush Width"	Overall Length"	Price /Each
FLT304	311552	17	3	5-1/2	34.67
FLT305	311752	26	2-3/4	5-3/4	41.24

TRANSPORT LINE BRUSH HANDLE

- · Professional handle with an insulated sleeve for a comfortable grip
- Built for professional use from rugged materials to last longer
- Ergonomic design makes it more comfortable to use for long periods
- Material: Aluminum, Polypropylene
- Diameter: 1-1/4"
- Tip Style: Tapered
- Colour: Black



Model No.	Mfg. No.	Туре	Length"	Price /Each
FLT301	293752	Ergonomic	59	45.32
FLT303	297552	Telescopic	63 - 109	89.35

TRANSPORT LINE VEHICLE HAND BRUSH

- This hand brush ensures excellent results where detail cleaning with a dip brush is required
- Soft/split bristles help protect paint and exterior decals during the wash process and help hold more water and soap so you can wash more efficiently
- Rubber bumpers around the brush head help
- protect paint and surfaces from damage Brush Width: 4-1/2"
- Overall Length: 13"
- Material: Polypropylene, Polyester
- Colour: Black
- Bristle Stiffness: Soft, Split

Model No. FLT312 Mfg. No. 524652 Price/Each \$31.43



TRANSPORT LINE MULTI-PURPOSE RIM HAND BRUSH

- Easily clean all kinds of small surfaces with this all-round multi-purpose brush and rim cleaner
- Soft/split bristles help protect paint and exterior decals during the wash process and help hold more water and soap so you can wash more efficiently
- Rubber bumpers around the brush head help
- protect paint and surfaces from damage
- Brush Width: 2-3/4"
- Overall Length: 11-1/2"
- Material: Polypropylene, Polyester

FLEET &

AUTOMOTIVE

Colour: Black

Bristle Stiffness: Soft, Split Model No. FLT314 Mfg. No. 525252 Price/Each \$17.03





VEHICLE CLEANING BRUSHES

TRANSPORT LINE GARAGE HAND BRUSH

Vikan

- · Slimline hand brush keeps workshop benches clean
- Soft bristles help remove fine particles from many surface types
- Brush Width: 1-1/2" Overall Length: 13"
- Material: Polyester, Polypropylene
- Colour: Black
- Bristle Stiffness: Soft

Model No. FLT306

Mfg. No. 450252 Price/Each \$10.89



TRANSPORT LINE RIM CLEANING HAND BRUSH

- · Ideal for cleaning alloy wheels, this medium-stiff, chemical resistant rim
- cleaner has synthetic filaments and a nylon protected handle
- Hard bristles help scour away brake dust and road grime
- without damaging the surface of your wheels
- Brush Width: 2-1/2"
- Overall Length: 13-1/4"
- Material: Polypropylene, Polyester Colour: Black
- Bristle Stiffness: Hard

Model No. FLT315 Mfg. No. 525352 Price/Each \$13.99



TRANSPORT LINE INTERIOR VEHICLE BRUSH

- Remove dust from dashboards, instrument panels, switch housings and air
- ventilation outlets with this interior brush, made from natural hair Versatile set of detail brushes provides a range of sizes to helping
- remove dust and soil from the smallest of spaces
- Soft bristles help product surfaces from damage
- Brush Length: 1
- Brush Width: 1"
- Overall Length: 6"
- Material: Hair, Polypropylene
- Colour: Black
- Bristle Stiffness: Medium

Model No. FLT321 Mfg. No. 631559 Price/Fach \$10.71

Vikan®



Vikan

1667

TRANSPORT LINE WINDSHIELD SPONGE & SQUEEGEE WITH TELESCOPIC HANDLE

- · Designed for cleaning windscreens on trucks and buses
- Extends to reach higher windows on larger vehicles like trucks and buses
- Collapse for easier storage
- Sponge-squeegee head help remove bugs and leave windows streak-free
- Width: 8'
- Material: Anodised Aluminum, Polyamide
- Colour: Black
- Length: 28" 49"
- Model No. FLT308
- Mfg. No. 473952 Price/Each \$33.37

REPLACEMENT HEAD

- Replacement head, featuring a rubber blade and a sponge
- with an abrasive net for removing insects
- Sponge-squeegee head helps remove bugs and leave windows streak-free Material: Polypropylene, Synthetic Rubber
- Colour: Black
- Model No. FLT307

Mfg. No. 473852 Price/Each \$10.94



MAGIC OILTM LOCK LUBE & DE-ICER

- · Graphite formula lubricates seized and frozen locks for long-lasting, smooth operation
- Nozzle allows for easy application directly in keyhole



Price

/Each

8.75

BRAKLEEN® BRAKE PARTS CLEANER

- Plastic Safe: No
- Flashpoint: None Very fast evaporation rate
- Base Type: Chlorinated
- The original brake parts cleaner
- Formulated to quickly & effectively remove grease, brake dust, brake fluids, oils, and other contaminants from brake parts, lining, and pads

CRC

Model No.	Mfg. No.	Size	Price /Each
MLP234	75089	539 g	6.39
MLN591	75090	3.79 L	51.50

Brakleen Brake Parts Cleaner Intryant de pièces de train
0
Anno Agenceate Menses Santa Santa Santa James In with M Menses & Japan & Hann, In graded of Tabl
And the second s
Price

BRAKLEEN® BRAKE PARTS CLEANER

- Premium non-chlorinated brake parts cleaner that utlizes Powerjet[®] technology
- The spray nozzle produces a burst of product that forcefully breaks away contaminants, while the formula
- cleans and degreases instantly Dries rapidly

CR©

Model	Mfg.		Price
No.	No.	Size	/Each
MLP159	75088	397 g	5.49
AF126	75391	5 gal.	145.00

räklee

BATTERY TERMINAL PROTECTOR

Size

42.5 g

- Dark Red Viscous Liquid
- Plastic Safe: Yes

CR®

Model

AF440

Mfg.

No.

74119

- Flashpoint: Less than -18°C Specially designed to protect
- battery terminals from corrosion, a leading cause of hard starting and battery failure
- Provides a lead-free soft protective coating



CRC

Model	Mfg.	Size	Price
No.	No.		/Each
AE952	75046	213 g	14.50

BATTERY CLEANER W/ACID INDICATOR

- Yellow Foam
- Plastic Safe
- Slow evaporation rate Instantly detects leaks and neutralizes acid
- Removes corrosion by-products
- Just spray on and rinse off



Model	Mfg.	Size	Price
No.	No.		/Each
MLP160	75097	312 g	8.39

GASKET KLEEN™

- Plastic Safe: No
- Flashpoint: 13°C
- Fast evaporation rate Used for the removal of
- conventional and formed in place gaskets on motors,
- pumps and flanges

CRC

Model	Mfg.		Price
No.	No.	Size	/Each
MLP071	75021	340 g	10.90

RUBBERIZED SPRAY UNDERCOATING

- Black Viscous Material
- Plastic Safe: No

CR©

Mode

MLT298

No

- Flashpoint: 7°C
- Provides a tough, flexible shield
- against moisture, salt and road debris Dries quickly and is exceptionally resistant to abrasion

CARBURETOR CLEANERS Plastic Safe: No Flashpoint: -18°C Fast evaporation rate

- Designed to maximize
- carburetor performance Quickly dissolves carburetor deposits such as gum, sludge and varnish to improve fuel system performance and enhance fuel economy

CLEAN-R-CARB®



ICE-OFF™

WINDSHIELD

and frost on contact

Thaws frozen locks

SPRAY DE-ICER

Ideal for melting ice, snow

Does not harm car finish

Model	Mfg.	6 1-1	Price
No.	No.	Size	/Each
MLP103	75081	454 g	8.49

DISC BRAKE QUIET

Forms a water-resistant film that absorbs noise while reducing squeaks and squeals

Size

454 g

For use on the back of

Mfg.

75034

No.

- non-shimmed disc pads
- Container Type: Bottle
- Appearance: Red paste

Mfg. No.

75016

CRC

Model

AF371

No.

CRC

80

et Kl



Price

/Each

17.90

	Price
Size	/Eacl
118 ml	7.3

Price
/Each
7.39

CR[©]

Model	Mfg.	Price	
No.	No.	Size	/Each
AF119	75346	340 g	7.19

Industrial Multi-Purpose **Cleaning Products**









SENSORKLEEN™ MASS AIR FLOW SENSOR CLEANER

- Cleaner that was specifically developed to clean mass air flow sensors
- Increases horsepower and improves air/fuel ratio and MPG
- Plastic safe
- Dries in seconds

∕lode

AF118

Mfg Container Price No. Size /Each

312 a

9.99

JUMP START® STARTING FLUID

75110

- Assures fast and economical starts
- in cold or humid conditions
- For use in both gasoline and diesel engines

				~
Model No.	Mfg No.	Container Size	Price /Each	a Dian
AF260	75671	312 g	7.39	00

QUICK FLOW[™] EMERGENCY DIESEL-GEL RELIEF

- Reliquefies gelled fuel in minutes
 Totally disperses water and lowers
- pout point by as much as 35°F
- Prevents future gelling Can be used for biodiesel



ump Star

	8

Model No.	Mfg No.	Format
AF124	75911	32 oz

AUTOMOTIVE CHEMICALS & CLEANERS

TIP

THROTTLE BODY KLEEN™ AIR INTAKE CLEANER

 Cleans gum and varnish from the throttle valves and throttle body for easier starting and smoother engine performance

R

Mfq

No.

75078

Container

Size

340 a

TANNERY[®] LEATHER &

VINYL CARE CLEANER

• Ideal for use on leather products

Effective for home, farm, auto

Silicone free and great for

cleaning leather between

conditioning treatments

recreation and marine applications

Price

/Each

7.99

Mode

AF117

No.

CRC[®] GDI IVD[™] INTAKE VALVE & TURBO CLEANER

- Delivers advanced PEA detergency directly to the backs of GDI intake valves
- Removes up to 46% of carbon deposits on intake
- valves within 60 minutes
- Safe on all gas-powered engines including turbos
- Increases power and torque
- Reduces emissions
- Improves fuel economy



No.

7530X6

N٥

AF439



Fuel Therapy

Price

/Each

17.90

DIESEL FUEL THERAPY[™] -DIESEL INJECTOR CLEANER W/ANTI-GEL

Containe

Size

311 a

Price

/Each

16.90

 Emissions reducing formula that is rated "SUPERIOR" in Cummins L-10 Test for injector cleanliness
 Lowers pour point & CFPP,

reliquifies gelled fuel, adds lubricity, increases power and MPG

. Dark Amber Liquid

Plastic Safe: No

Flashpoint: 57°C

R

Mode

MLN925

No.

Mfg.

75212

No



Container Price

No.	No.	Size	/Each
AF110	74171	283 g	10.50

DIESEL FUEL ANTI-GEL

- Improves flowability of diesel fuel in cold weather
- For use on diesel engines

CR©

Mfg

75221

Format

355 ml

No

Model

AF257

No.

Price

/Each

17.50

PHASEGUARD™ ULTIMATE ETHANOL FUEL TREATMENT & STABILIZER

Size

888 ml

- Used in all gas powered 2 and 4 cycle engines to protect against the harmful effects of ethanol
- Prevents phase separation, protects
- against corrosion, cleans the fuel system, stabilizes fuel and restores power



CDG

Price

/Each

13.20

Model	Mfg	Format	Price
No.	No.		/Each
AF111	74142	474 ml	19.90

TURBO POWERTM **ALL-SEASON WINDSHIELD** WASHER FLUID

- Specially developed methanol based fluids designed to provide excellent grime, salt and snow cleaning performance under cold weather conditions
- A non-smear formulation
- This all season windshield washer protects from freezing down to -40°C
- Container Type: Jug
- Sold by case of 4

Mode

AD458

No.



TURBO POWER® PREMIUM WINDSHIELD WASHER & DE-ICER FLUID

Price

/Each

Excellent grime, salt and

Format

3.78 L

- snow-cleaning performance Non-smear formula
- Removes frost and light ice Temperature Rating: -45°C
- Container Type: Jug
- Sold by case of 4



Model		Price
No.	Format	/Each
NKB959	3.78 L	22.40

TURBO POWER® HEAVY-DUTY MIXED FLEET EXTENDED LIFE ANTIFREEZE/COOLANT

Price

- 50/50 premixed antifreeze/coolant with
- proprietary organic acid technology Provides protection against corrosion,
- rust and pitting caused by cavitation
- Designed for complete mixed fleet use
- Free of amines, borates, nitrites and phosphates
- Container Type: Gallon



Format /Each No. NKB968 3.78 L 14.40

TURBO POWER® SUMMER **BUG WASH WINDSHIELD** WASHER FLUID

Price

/Each

12.08

RAIN-X[®] CLEARVIEW DE-ICER

Intense cleaning action and improved visibility

- Designed specifically as a summer windshield washer fluid
- Keeps windshield clear of road grime and splattered insects
- Only suitable for warm weather conditions
- Temperature Rating: -0°C
- Container Type: Jug

Format

3.78 L

Effective freezing resistance

Repels rain, sleet and snow Container Type: Jug

Temperature Rating: -40°C

Sold by case of 4

Sold by case of 4

Mode

MLP382

No.

AIR1® DIESEL EXHAUST FLUID

- Used in trucks powered by diesel engines to reduce
- emission levels to the required limits set by the EPA Meets automotive industry specification
- defined by ISO 22241
- Product formulated for use in extreme cold applications; can be used after being frozen for long lengths of time
- Should not be stored outside, as sunlight may cause damage and/or degradation to chemical formulation
- Container Type: Jug



TURBO POWER[®] DIESEL EXTENDED LIFE ANTIFREEZE/ COOLANT CONCENTRATE

- Hybrid antifreeze/coolant that does not require an initial charge of supplemental coolant additives or coolant extenders
- OEM approved
- Protects all coolant system metals
- Provides excellent wet sleeve liner cavitation protection
- Never use 100% coolant in concentrated form; 50% dilution
- recommended Container Type: Gallon



Model No.	Format	Price /Each
NKB971	3.78 L	20.30

TURBO POWER® EXTENDED LIFE ANTIFREEZE/COOLANT CONCENTRATE

- Long service life engine coolant with
- proprietary organic acid technology (OAT)
- Protects coolant system metals against corrosion and rust
- Never use 100% coolant in concentrated form; 50% dilution recommended
- Free of amines, borates, nitrates, nitrites, phosphates and silicates
- Container Type: Gallon



COOLANT CONCENTRATE

- formulation of corrosion inhibitors
- Protects coolant system metals such as aluminum, brass, cast iron, copper, solder and steel

Price

/Each

16.10

- Does not require an initial charge of supplemental coolant additives
- Never use 100% coolant in concentrated form; 50% dilution recommended
- Container Type: Gallon

Model

TYP309

No

ĺ	
	EXPERT
U	AND TRANSPORTED AND AND AND AND AND AND AND AND AND AN
1	

Model No NKB969



Model

- Mode No Fo AG899 3.
- **TURBO POWER® HEAVY-DUTY DIESEL ANTIFREEZE/**
- Engine coolant with a proprietary

Format

3.78 L

	DANGER
Price /Each	
30.00	
	/Each

ClearView

T.S.P.

Model No. AB725

AC318

- Trisodium Phosphate
- All purpose cleaner Prepares surfaces for painting
- Removes wax and grease
- Cleans garage floors and driveways
- · Aids in restoring paint b

lint drusnes	
Size	Price /Each
2 kg. box	13.50
4 litre concentrate	10.00

PAINT THINNER

- Low odour mineral spirits
- Ideal as paint thinner, brush cleaner
- and all purpose household cleaner For floors, woodwork, grease stains, etc.

Model		Price	
No.	Size	/Each	-
AB706	4 L bottle	13.40	225
AG802	18.9 L pail	71.90	

AIR TOOL OIL

- · Preserves and maintains internal seals and mechanisms present in most hand-held air tools
- Lubricates under high pressure to fine tolerances
- Resists moisture induced corrosion, maximizing
- the service life and performance of your air tools Contains no silicone





Model No.	Size	Price /Each
AA091	8 oz. poly bottle	5.60
AA090	4 L jug	48.00

TURBO POWER® AIR BRAKE ANTIFREEZE

Designed to help guard the brake lines against freezeup on diesel trucks and construction equipment

Price

/Each

5.57

- Contains lubricants to minimize wear of valves and seals
- Absorbs condensation
- within air brake systems
- Container Type: Bottle



Model		
No.	Format	
AD097	1L	

AEROSOLV[™] CAN PUNCTURING SYSTEM

A safe and economical means to empty and dispose of aerosol cans. Easy-to-use, hand-operated, no power source necessary. Handle moves a puncture pin through a fluid-tight chamber and pierces can; no worker contact required.

Unique carbon filter coalesces VOC's in filter reservoir. Residual contents safely collected in drum.

- · Excellent savings on hazardous waste disposal costs
- Punctured cans may be recycled as scrap metal
- Residual liquids collected in drum may be eligible for reclamation through a hazardous waste handler, resulting in waste minimization credit
- Accommodates cans in wide assortment of shapes and sizes
- · Puncture pin designed for long-term use;
- no visible wear after puncturing 10,000 cans
- For use with any 20-30 or 55-gallon drum

AA155 - Aerosolv™ Venting System consists of one puncturing unit, one filter and one anti-static wire which is required under several federal and local codes.

AA153 - Two-stage coalescing filter with replaceable carbon cartridge. A A154 . Poplacement carbon cartridge

AA154 - Replacement Carbon Carthuge.		
Model No. AA155	Price/Each \$1822.00	
Model No. AA153	Price/Each \$546.00	
Model No. AA154	Price/Each \$448.00	

BATTERY EQUALIZERS

- Restorative fluid doubles
- the life of any voltage lead/acid battery
- Save 25% on
- recharge time For use on lift truck and golf cart fleets
- and many more



Model		Price
No.	Size	/Each
AA893	500 ml	35.90
AB476	4 L	245.00

PROFESSIONAL GRADE PURE TURPENTINE

- Thins varnishes, paints and enamels
- · Best for thinning wood stains

Model		Price
No.	Size	/Eacl
AG799	3.78 L can	58.2

ACETONE

- · Thins fibreglass resin mixes
- Dissolves 2-part epoxies
- Cleans tools and brushes used for epoxies and lacquers


	<i>i</i>
4	
	SOLVABLE
	Bandy Deservery Deserver 1 Deservery 1 Stationgram 2 Servery 2
	DANGER

58.20

OLV/ABLE

Model		Price
No.	Size	/Each
AB722	3.78 L can	30.00





BATTERY ACID NEUTRALIZER

Safely neutralizes sulphuric acid spills on skin, clothing and battery box Spray battery box regularly to keep





/odel

AA773

No.

terminals and

battery clean

0		
		Price
	Size	/Each
	198 q	7.29



SOLVABLE

T. 5. P.

T. S. P.





ORIGINAL VEHICLE PROTECTANT

- · Helps prevent cracking, fading, discoloration
- and premature aging
- Brings out a deep shine with a non-greasy finish Safely cleans away dirt, dust and debris
- Renews and revitalizes vinyl,
- rubber and plastic



Model No.	Mfg. No.	Container Type	Format	Price /Each
AF158	14711	Trigger Bottle	473 ml	11.50
FLT130	7466	Trigger Bottle	946 ml	19.00
FLT133	18389	Jug	1.89 L	32.00

MULTI-PURPOSE CLEANER

- All-in-one cleaning solution for that "just detailed" look
- Easily removes filmy residue, road grime, bugs, fingerprints & more
- Effective for the whole car; dash, vinyl, fabric, carpet, clear plastic, console, and more
- Easily removes ground-in dirt, dust & grime



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT110	15274	Trigger Bottle	473 ml	9.99
FLT114	18265	Jug	1.89 L	15.00

EXTREME BUG & TAR REMOVER

- Cleans bugs, tar, and other tough grime
- while preserving wax protection
- Safe on clear coat finishes when used as directed
- Streak-free formula



Model	Mfg.	Container	Format	Price
No.	No.	Type		/Each
FLT116	18740	Trigger Bottle	473 ml	9.99

FOAMER CLEANER & ENGINE DEGREASER

A convenient way to clean up tough grime, oil and grease build up under the hood, on tools, small engine parts, plastics, vinyl, and metals



Model	Mfg.	Container	Format	Price
No.	No.	Type		/Each
FLT119	18287	Trigger Bottle	946 ml	11.00

LIQUID CLEANER WAX

- Cleans and restores as you wax
- Easy buffing to a high-gloss shine
- For wet or dry use Clear coat safe

1672





VENT & DUCT CLEANER

- · Special formula allows you to treat vents, ductwork, evaporator core and drain pan area, helping to eliminate a variety of odours cause by mold and mildew
- Cleans by removing light dirt that resides in ductwork, and direct dust that sits on vent surfaces

Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT113	18250	Aerosol Can	283 g	15.00

VENT CLIP OIL AIR FRESHENER

- Made with odour elimination technology that works for up to 30 days to help destroy odours like smoke, garbage, and pets
- Type: Vent Clip

Mfg.

18753

18757

18984

18755

18751

No.

• Quantity: 2.5 ml

Model

FLT102

FLT103

FLT101

FLT099

No. FLT100



INTERIOR VEHICLE WIPES MULTIPACK

Scent

New Car

Lemon Berry

Whiskey & Oak

Island Oasis

Tranquil Skies

Includes:

Mode

FLT148

No.

- (1) Container of Original Protectant Wipe,
- (1) Container of Orange Cleaning Wipes,
- (1) Container of Cleaning Wipes,
- (1) Container of Glass Wipes · No. of Wipes Per Container: 115

Mfg

10881

No



6-PIECE DETAILING KIT

 Includes: Mini squeegee, Microfibre cleaning towel, Tire and rim brush, Microfibre glass towel, Wash mitt, Polisher applicator pad

Price

/Fach

30.00

Model	Mfg.	Price	TEMORAL
No.	No.	/Each	
FLT098	18842	27.00	La



MICROFIBRE BUFFING TOWEL

- Double sided and double stitched for maximum durability
- · Super soft and lint free
- Ideal for buffing out wax or polish and creating the ultimate shine





MULTI-PURPOSE MICROFIBRE CLEANING TOWELS

- Use with cleaning product to remove dirt and stains from surface
- Can also be used dry to lift light dust and dirt from hard surfaces such as glass and dashboards
- · After use, thoroughly wash by hand or machine in warm water
- Sold/Priced Per: Package .
- Qty/Pkg.: 24

Model

FI T097





FLEET & AUTOMOTIVE



Type: Detailing



2-IN-1 GLASS CLEANER WITH RAIN REPELLENT

- Cleans glass and applies water-beading technology
- Repels water and enhances driving visibility Helps prevent and remove sleet, snow ice, bugs
- and road spray from sticking to glass
- · Leaves a streak-free finish

 Ideal for all glass surfaces, except tinted windows 					Glass Cleaner Rain Repolar 2-R-1 Hilloyant pour s
Model No.	Mfg. No.	Container Type	Format	Price /Each	
UAD890 UAD894	36239 5076784	Aerosol Can Trigger Bottle	510 g 680 ml	8.78 9.14	

ANTI-FOG[™] INTERIOR GLASS TREATMENT

- · Eliminates and prevents fogging and steaming on windshields and visors
- Improves visibility

Aode

UAD888

- Anti-static formula repels dust
- Removes smoke residue
- Ideal for all interior glass and mirrors, auto and marine

Mfg.

36235

No.

	Price	
Format	/Each	
207 ml	8.08	

- 0.

WATERLESS WASH & WAX

· Conveniently wash your vehicle anytime, anywhere and get the same high-gloss shine as a water wash

Containe

Туре

Bottle

- No water needed great for touchups or on the go
- Highly lubricated, scratch-free formula is safe for all exterior surfaces Provides an exterior protectant using water repelling technology
- Spray on, wipe off
- Ideal for cars, trucks, RVs, trailers, .
 - ATVs and several other applications



rainx Plastic

Model	Mfg.	Container	Format	Price
No.	No.	Type		/Each
UAD892	36242	Trigger Bottle	946 ml	13.40

PLASTIC WATER REPELLANT

- Applies water beading technology to
- dramatically enhance visibility Specifically formulated for plastic surfaces
- Easily applied for a durable coating
- Ideal for plastic, including Lexan®,
- Plexiglas[®], Perspex[®], Lucite[®], acrylic and polycarbonate applications

Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD902	75016	Trigger Bottle	355 ml	9.56

WASH & WAX CAR WASH

- Wash and wax in one easy step
- Soft gel Carnauba wax beads create a protective barrier from the elements
- Leaves a spot-free, sparkling high-gloss finish
- Traps and removes road grime, grease and dirt
- High foaming wash
- Fast rinsing action

Model	Mfa.	Container		Price	
No.	No.	Туре	Format	/Each	
UAD893	5056567	Jug	1.8 L	21.60	

	-	-	
	100		
120	-		100
	South State		23
	1000		
l Re	IIIIX	D.L.	
	(Alamore Ch	100	2
	ash	-	
- 28	Wax	i in a	2
per	and an entropy	-	
		No.	
Low			-
		-	
418			7
1.00		· · ·	
100	100		100

ORIGINAL GLASS TREATMENT

- Dramatically improves wet weather driving visibility
- Repels rain, sleet and snow •

M N U U

- Seals microscopic pores in glass with a non-stick invisible barrier •
- Allows easy removal of frost, ice, salt, mud and bug splatter
- Ideal for all exterior glass surfaces, auto and marine



aina

lodel Io.	Mfg. No.	Container Type	Format	Price /Each
AD886	36231	Bottle	207 ml	8.08
AD887	36232	Trigger Bottle	473 ml	12.50

X-TREME CLEAN[™] GLASS & PLASTIC CLEANER

- Removes tough dirt, bug splatter, film and
- road grime from glass and plastic
- Restores clear plastic and headlights by removing haze and discolouration
- Best used as windshield prep for Rain-X® Original Treatment
- · Ideal for windshields, headlights, glass, plastic and many other applications

Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD917	800001313	Bottle	355 ml	11.30

SPOT FREE CAR WASH

- · Spot-free formula sheens water off vehicle
- No towel drying necessary water evaporates without residue
- Deep cleaning, high-foam soap cuts through dirt
- Premium car wash formula will not strip wax Safe for all vehicle finishes
- Ideal for cars, trucks, RVs, trailers, ATVs and several other applications



Model Container Mfg. Price No. No. Format /Each Type UAD891 1.42 L 16.90 36240 Jug

BUG & TAR PRE-WASH GEL

- · Visibly removes tough stains on vehicle's surface · Effectively dissolves bugs, road grime, brake dust, tar,
- organic residue, tree sap, insect and bird droppings
- No scrubbing required Ideal for cleaning your vehicle after long road trips
- Applications include glass, metal and exterior plastic surfaces including windshields, headlights, grills, fiberglass, bumpers, painted and chrome surfaces



Model	Mfg.	Container	Format	Price
No.	No.	Type		/Each
UAD889	36238	Trigger Bottle	473 ml	10.20

HEADLIGHT RESTORATION KIT

- Restores clouded, pitted and yellowed lense surfaces
- Includes everything necessary for restoration (excluding portable drill)
- Easy to follow instructions

M N

U

Works on most plastic lighting lenses to restore like-new clarity, improving output and appearance

lodel Io.	Mfg. No.	Price /Each
AD884	9228	34.00



NON-FLAMMABLE BRAKE & PARTS CLEANER

- Blend of non-combustible chlorinated safety solvents specifically designed for cleaning brake parts
- Washes away grease, oil, brake fluid, and
- impacted dust without affecting metal Evaporates quickly and completely
- . Leaves no residue
- Will not interfere with subsequent brake operations
- Contains no trichlorethane or other
- ozone depleting compounds

Model No.	Mfg. No.	Container Type	Format	Price /Each	
JL679	1049729C	Aerosol Can	20 oz.	18.50	WT WY

ALL-AROUND AUTOMOTIVE CONDITIONER

- Penetrates, protects, and beautifies, imparting a lustrous shine and renewing old or worn vinyl and rubber
- Protects surfaces from the harmful effects of elements that can crack, dry, fade or harden materials
- No milky, cloudy appearance to haze and dull rubber or vinyl
- Use on tires, dashboards, seats, trim, vinyl tops, luggage, sporting goods, boats, and acrylic objects



Format	/Each	
0.95 L	21.58	
20 L	298.07	-
	0.95 L	0.95 L 21.58

TIRELESS SHINE TIRE DRESSING

- Solvent-based, fast drying, high gloss, ready-to-
- use, silicone dressing for automobile tires
- Penetrates, protects, water resistant



JI 703 6301C Aerosol Can 13 oz	Model No.	Mfg. No.	Container Type	Format	Price /Eacl
	JL703	6301C	Aerosol Can	13 oz.	9.5

FORMULA 4358 HEAVY-DUTY POWDERED DETERGENT

100% active and versatile red soap that can be used on the finest car surfaces or the dirtiest diesel-stained vehicle

Container

Туре

Drum

T'N'T TRUCK & TRAILER WASH

Formulated to remove exhaust deposits, road film and

Container

Туре

Pail

Drum

bug residues from painted and unpainted surfaces

One application and minimal brushing

Highly versatile, this product can be applies with high or low pressure,

Mfg.

376470

376760

No.

in hot or cold water

Format

45 kg

Format

20 L

210 L

Hard water tolerant

Mfg.

407400

No.

Mode

FIT722

No.

High-foaming, free-rinsing & biodegradable

Price /Each	1.10
610.51	

Price

/Each

88.28

756.92

PROFESSIONAL RUBBERIZED COATING

- Premium quality, aerosol rubberized coating which provides outdoor protection for a variety of surfaces, and insulates against unwanted noise
- Dries quickly, prevents rust, and muffles noise Colour Family: Black

Model	Mfg.	Container	Format	Price
No.	No.	Type		/Each
o.	No.	Lype	Format	/Each
.673	28901C	Aerosol Can	16 oz.	19.90

WHEEL & ENGINE CLEANER PRESPRAY

· Scented, concentrated, phosphate-free,

high-foaming detergent formulated for

vehicle tire, engine, and general prespray Use to brighten tires, remove bugs, remove road

film, and remove carbon soils from engines



7eD



HANG TIME BUG REMOVER

Container

Type

Pail

Format

20 L

- · Concentrated, phosphate-free, liquid containing water soluble solvents, surfactants, chelates, alkaline builders and gelling agents
- Designed as a prespray for

Mfg.

B20147C

No.

Model

FLT721

Model

FLT719

FLT720

No

No.

effective removal of bugs				
Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT725	Q06447C	Pail	20 L	177.00



BLUE MARVEL 2000 TRUCK & TRAILER WASH

Format

20 L

210 L

· Economical, concentrated, high foaming liquid detergent especially

Container

Туре

Pail

Drum

- formulated for brush-type car and truck wash facilities High-foaming formula produces thick,
- stable foam for complete coverage with excellent cling time to vehicle surfaces High concentration allows product to be
- diluted from 1:128 to 1:2000, depending on the specific application

Mfg.

G24447C

G24476C

No

		1	Ĩ.	1
ep	Rade and	MARVEL		
Price /Each	111 14			
109.91 1151.58				

JET CLEAN BRUSHLESS VEHICLE PRE-SPRAY

· Concentrated, phosphate-free, water-based liquid designed for removal of road film from a wide variety of vehicles

_		_	
D	1		
),	ROAMAL CONTRACT	вле	
Price			12
/Each	1 5-	@ -	3
09.00		T	
32.00			

Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT726	P24147C	Pail	20 L	109.00
FLT727	P24176C	Drum	210 L	832.00



Model

FLT723

FLT724



AUTOMOTIVE CHEMICALS & CLEANERS

ULTRA 5-IN-1 DIESEL ALL SEASON FUEL SYSTEM CLEANER

- · Cleans the fuel system to restore lost power, smooth rough-running and improve fuel economy
- Improves lubricity to help prevent fuel pump wear
- Inhibits rust and corrosion in the fuel system .
- Helps keep fuel-filters from plugging with •
- wax and prevents fuel gelling .

Mode No. FLT123

Boosts cetane to help improve combustion

Mfg. Container No. Type		Format	Price /Each
17987	Bottle	354 ml	16.00

SUPER CONCENTRATED FUEL INJECTOR CLEANER

- Unclogs dirty fuel injectors to restore performance and acceleration Helps dissolve and remove harmful carbon, gum
- and varnish deposits on fuel injectors
- Helps smooth rough idle and eliminate tough starts
- Treats up to 79 litres (21 gallons) of gasoline
- Add to gas every 6000 km or every oil change



JETRA

Model	Mfg.	Container	Format	Price
No.	No.	Type		/Each
FLT120	17111	Bottle	155 ml	7.49

COMPLETE FUEL SYSTEM CLEANER

- Restores lost power and acceleration
- Reduces the need for higher octane
- fuel to stop knocks and pings Saves gas by removing deposits
- throughout the fuel system

Mfg.

17113

No

Model

FLT122

No.

Reduces hard starts and engine


igine hesitation		SP
ontainer		Price
Туре	Format	/Each
Bottle	155 ml	14.00

GT.

OCTANE BOOSTER

- Boosts octane and cleans fuel intake system to restore lost performance
- Removes deposits which can cause knocks, pings, hesitation and stumble Treats up to 79 litres (21 gallons) of gasoline

Conta



MULTI-PURPOSE MOTOR TREATMENT Great for fuel systems with a spout, crankcases and intakes

Protects against viscosity build up and crankcase sludge

up and	crankcase siu		SP)	
Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT127	17174	Bottle	473 ml	11.00

HIGH MILEAGE OIL TREATMENT

- Specially formulated for vehicles with over 120,000 kilometres
- · Fights friction and protects against engine wear by decreasing metal-to-metal contact, reducing oil consumption, and fortifying oil with a viscosity enhancer



SP

Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT129	15983	Bottle	443 ml	8.99

POWER STEERING FLUID

- · Protects against wear and pump breakdown caused by abnormal wear, oxidation and foaming
- Performs even in sub-zero temperatures
- · Specifically designed for power steering units



Model	Mfg.	Container		Price
No.	No.	Туре	Format	/Each
FLT124	17110	Bottle	350 ml	4.50
FLT128	18495	Bottle	946 ml	8.99

DOT 3 BRAKE FLUID

- · Provides protection against brake
- failure from vapour lock
- Prevents corrosion in brake system
- · Works with all brake systems requiring DOT 3 fluids



ЯĎ

Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT125	17117	Bottle	350 ml	5.99

Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT125	17117	Bottle	350 ml	5.99

Model	Mfg.	Container	Format	Price
No.	No.	Type		/Each
FLT125	17117	Bottle	350 ml	5.99

MINI CAR SCENT DIFFUSERS Type: Vent Clip Qty/Pkg.: 2 Refresh Mfg. Pric No. Scent /Eacl 09135Z New Car 4.99 09136Z Hawaiian Sunrise 4.99 9138 Fresh Linen 4.99 DUAL VENT SCENT STICKS

- Type: Vent Stick
- Qty/Pkg.: 4

Model

FLT152

FLT153


FLT154

Model Mfg. No. No.		· · · · · · · · · · · · · · · · · · ·	
FLT155	9538	Midnight Black & Ice Storm	3.99
FLT156	09591Z	Alpine & Summer Breeze	3.99
FLT157	09578Z	New Car & Cool Breeze	3.99
FLT158	09593Z	Strawberry & Cool Lemonade	3.99



STARTING FLUID

- Fast & easy
- Starts in cold weather conditions .
- For gasoline engines •





BIO-ENZYMATIC CARPET & UPHOLSTERY CLEANER

- High-quality, professional grade cleaner with fast-acting enzymes that safely remove stubborn stains
- and odor-causing organic matter from carpet and upholstery • With an easy-to-use inverted spray actuator and
- powerful foaming action, this cleaner attacks spots, stains and odors with ease and speed
- The custom-blended, bio-enzymatic formula suspends and dissolves embedded foreign matter and breaks down organic residue to eliminate stains and odors
- Works effectively on spots caused by dirt, coffee, milk, wine, soda and pet stains





Model Mfg.			Container	Price
No.	No.	Format	Туре	/Each
JN545	SW258	11 fl. oz.	Aerosol Can	3.29

Model	Mfg.		Container	Price
No.	No.	Format	Туре	/Each
JN549	SW589	18 fl. oz.	Aerosol Can	8.69
JN549	SW589	18 fl. oz.	Aerosol Can	

INSTANT	DETAILER
CLEANER	& POLISH

• Quick Detail Touch Up

- Spray & Wipe Clean
- Showroom Quality Shine
- **Rinse Free** •





Model	Mfg.		Container	Price
No.	No.	Format	Туре	/Each
JN543	SW094	16 fl. oz.	Can	8.29

SA	LT	Ο	FF	

- Removes salt stains from carpets and mats
- Built-in brush cap loosens salt Removes stubborn salt stains from
- any fabric quickly and easily
- Great for use on carpets and mats in your vehicle and around the house



- 5	bra	vwa	V
		/	0

Model	Mfg.		Container	Price
No.	No.	Format	Туре	/Each
JN547	SW557	11 fl. oz.	Aerosol Can	6.69

INSTANT DETAIL WAX

- Wax In Minutes
- Showroom Shine
- No Buffing Necessary
- . No Powder or Dusting



Sprayway

Model	Mfg.		Container	Price
No.	No.	Format	Туре	/Each
JN544	SW096	16 fl. oz.	Can	10.50

TOTAL RELEASE BLAST OUT FRESHENER

- Small 5-oz can-size is easy to use,
- convenient and easily reaches into tight spaces · Contains Ordenone®, a unique compound that quickly
- traps and eliminates odor-causing bacteria Fogging mist neutralizes and eliminates
- unpleasant odors at the source
- Lock the actuator in place for total release spray
- Ideal for cars, trucks, boats and RVs
- Available in ten popular fragrances



FLEET &

Sprayway

Model No.	Mfg. No.	Туре	Scent	Price /Each
JN554	SW248	Aerosol	Mist	6.99
JN555	SW252	Aerosol	Mountain Air	6.99



GTX® ULTRACLEAN MOTOR OIL

Advanced protection against viscosity and thermal breakdown

AF608

Superior protection against high-temperature deposits

SAE 5W 20 MOTOR OIL

- Premium-quality base oils and anti-wear additives that help extend the life of your engine
- Oil Type: ConventionalMotor Type: Gasoline

GTX® MOTOR OIL

- Specially engineered to prevent the harmful build-up of sludge, reduce
- oil deposits and provide daily protection for your engine Maximum protection against viscosity and thermal breakdown
- Superior oil burn-off protection versus leading conventional oils
- Advanced additives that minimize engine wear
- Oil Type: Conventional
- Motor Type: Gasoline





Castrol

Model Mfg.			Container	SAE	Price
No.	No.	Format	Туре	Grade	/Each
AF608	1542	1L	Bottle	5W-20	12.40
AF609	000153A	5 L	Jug	5W-20	39.30
AF611	1142	1L	Bottle	5W-30	12.40
AF612	000113A	5 L	Jug	5W-30	39.30
AF613	1105	205 L	Drum	5W-30	1015.00

GTX® HIGH MILEAGE MOTOR OIL

- Superior dispersancy that fights sludge build-up
- Exceptional oil burn-off protection
- Seal conditioners to help reduce leaks
 Advanced additives that minimize engine wear
- Advanced additives that minimize eng
 Oil Type: Conventional
- Motor Type: Gasoline



Castrol

Model Mfg.			Container	SAE	Price
No.	No.	Format	Туре	Grade	/Each
AF622	1838	1L	Bottle	5W-20	11.60
AF623	000183A	5 L	Jug	5W-20	45.90
AF625	1638	1L	Bottle	5W-30	10.90
AF626	000163A	5 L	Jug	5W-30	45.90
AF628	1738	1L	Bottle	10W-30	10.80
AF629	000173A	5 L	Jug	10W-30	45.90

Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF614	1342	1L	Bottle	10W-30	12.40
AF615	000133A	5 L	Jug	10W-30	39.30
AF616	1305	205 L	Drum	10W-30	1015.00
AG369	1242	1L	Bottle	10W-40	12.40
AF618	000123A	5 L	Jug	10W-40	39.30
AF619	1205	205 L	Drum	10W-40	1015.00
AG370	1442	1L	Bottle	20W50	12.40
AF621	000143A	5 L	Jug	20W50	39.30

GTX® MAGNATECTM MOTOR OIL

- Clings to critical engine parts when the oil drains down
- Adds a layer of protection during warm-up and beyond
- Dramatically reduce engine wear
 Leave critical engine parts 4X smoother
- Leave critical engine p
 Oil Type: Synthetic
- Motor Type: Gasoline
 - Type: Gasoline



Model	Mfg.		Container	SAE	Price
No.	No.	Format	Туре	Grade	/Each
AF630	220038	1L	Bottle	0W20	10.40
AF631	022003A	5 L	Jug	0W20	45.90
AF632	220011	60 L	Drum	0W20	459.00
AF634	221538	1L	Bottle	5W20	10.20
AF635	022153A	5 L	Jug	5W20	41.00
AF636	221511	60 L	Drum	5W20	459.00
AF638	221138	1L	Bottle	5W30	10.40
AF639	022113A	5 L	Jug	5W30	41.00
AF640	221111	60 L	Drum	5W30	462.00

AUTOMOTIVE MOTOR OILS & GREASE

EDGE® FTT MOTOR OIL

- Three times stronger against viscosity breakdown .
- The unique titanium technology physically changes the way oil behaves under extreme pressures doubling its film strength
- preventing oil from breaking down and reducing friction to maximize engine performance.

AF646

- Oil Type: Synthetic
- . Motor Type: Gasoline

🕒 Castrol



Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF642	201738	1L	Bottle	0W20	16.30
AF643	020173A	5 L	Jug	0W20	61.50
AF644	201715	60 L	Drum	0W20	675.00
AF645	201706	208 L	Drum	0W20	2015.00
AF646	201238	1L	Bottle	0W30	14.90
AF647	201838	1L	Bottle	0W40	14.90
AF648	020183A	5 L	Jug	0W40	67.40
AF649	201806	208.2 L	Drum	0W40	2570.00
AF650	200938	1L	Bottle	5W20	16.30
AF651	020093A	5 L	Jug	5W20	61.50
AF652	200915	60 L	Drum	5W20	675.00
AF653	200906	208.2 L	Drum	5W20	2015.00
AF654	201138	1L	Bottle	5W30	16.30
AF655	020113A	5 L	Jug	5W30	61.50
AF656	201115	60 L	Drum	5W30	655.00
AF657	201106	208.2 L	Drum	5W30	2015.00
AF658	201438	946 ml	Bottle	5W40	16.00
AF659	020143A	5 L	Jug	5W40	61.50
AF660	201406	208.2 L	Drum	5W40	2185.00
AF661	201038	1L	Bottle	5W50	16.30
AF662	020103A	5 L	Jug	5W50	62.80
AF663	201006	208.2 L	Drum	5W50	2185.00
AF664	201338	1L	Bottle	10W30	16.30
AF665	020133A	5 L	Jug	10W30	61.50

EDGE® EP MOTOR OIL

- The strength to perform for 24,000
- kilometers between oil changes
- Delivers unsurpassed levels of protection across a variety of driving conditions and temperatures
- Proprietary titanium additive provides unsurpassed wear protection
- Oil Type: Synthetic
- · Motor Type: Gasoline



MILLING

AF666

Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF666	206038	1L	Bottle	0W20	18.80
AF667	206089	4.4 L	Jug	0W20	66.20
AF668	206566	1L	Bottle	5W20	18.80
AF669	206589	4.4 L	Jug	5W20	66.20
AF670	206166	1L	Bottle	5W30	18.80
AF671	206189	4.4 L	Jug	5W30	66.20

VECTON® CK-4 LD MOTOR OIL

· Excels under high-pressure: engine combustion pressures are increasing, which puts increased pressure on key engine parts

- Performs at high temperature engine oil is subjected to areas of very high
- temperature in modern engines, causing oxidation and oil thickening
- Offers drain intervals of up to 80,000 miles or 1000 hours
- Oil Type: Part Synthetic •
- Motor Type: Gasoline



- · Castrol Vecton provides outstanding resistance to nitration and oxidation
- Castrol Vecton provides improved cold-temperature engine starting
- Reduced oil consumption relative to single-grade natural gas-fueled engine oils
- Oil Type: Part Synthetic
- Motor Type: Gasoline •



Castrol

Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF588	15AEA9	946 ml	Bottle	15W-40	12.70
AF589	15AA34	3.78 L	Jug	15W-40	38.90
AF590	15AEA8	18.9 L	Pail	15W-40	151.00
AF591	15AEAA	208 L	Drum	15W-40	1142.00





Castrol

Model	Mfg.		Container	SAE	Price
No.	No.	Format	Туре	Grade	/Each
AF592	15ABF6	3.78 L	Jug	10W-30	37.20
AF593	15ABF4	18.9 L	Pail	10W-30	168.00
AF594	15ABF3	208 L	Drum	10W-30	1528.00

5125 PYROPLEX® RED #1

- · Lithium complex grease that meets the highest performance standards of automotive, fleet, . industrial, farm and off-highway applications
- Has shear stability to stay in grade and in place over long periods of use
- Employs top quality extreme pressure and anti-wear additives, so it can withstand conditions of severe shock and high loads
- Excellent compatibility with other greases
- Max. Temperature: 502°F (260°C)



5111 PYROPLEX® PROTECTION ES NLGI #1

- Specially formulated synthetic, lithium complex grease designed for extended service performance in challenging on-highway applications
- Full synthetic providing excellent
- low and high temperature performance Exceptional pumpability
- Oxidation minimized through excellent thermal stability · Maximum protection against rust, oxidation
- and corrosion in extreme environments Exclusive hydroactivation technology
- for increased tack in wet environments
- Extreme pressure and anti-wear performance
- High dropping point
- Does not use antimony, barium, lead, or chlorinated compounds, reducing environmental impact
- Container Type: Tube
- Max. Temperature: 550°F (288°C)

_		
	On atral	I
	Castini	
	UUSLIUL	

Model No.	Mfg. No.	Format	Container Type	Price /Each
AG339	105219	400 g	Tube	5.68
AG340	105218	54.4 kg	Keg	734.00

AG339

5517 PYROPLEX® BLUE #2

- Maintains mobility while building tack and adhesion when faced with water contamination
- The Hydro-Activated technology helps it resist softening and washout when exposed to wet conditions on a continued basis
- The extreme pressure and anti-wear additives
- promote extremely long bearing life
- In high temperature environments, it adheres to metal surfaces and provides a strong barrier of protection for critical components
- Because it stays in place, there is less need to add grease, which equals less grease usage and extended lubrication intervals
- Multifunctional use for both on and off road Superior rust and oxidation control
- Dependable performance under varying conditions reduces maintenance costs while extending equipment life
- Does not use antimony, barium, lead, or chlorinated compounds, reducing environmental impact

Castrol /

Model	Mfg.		Container	Price
No.	No.	Format	Туре	/Each
AG346	105019	400 g	Tube	8.27
AG347	105030	15.9 kg	Pail	263.00
AG348	105018	54.4 kg	Keg	855.00
AG349	105013	180 kg	Drum	2543.00

CLEANER & DEGREASER

- Formulated to dissolve
- grease and cut grime Biodegradable
- and phosphate-free



Model No.	Mfg. No.	Format	Container Type	Price /Each
AG361	801066	946 ml	Bottle	10.20
AG362	801016	3.78 L	Jug	32.30
AG363	801010	20 L	Pail	156.00
AG364	801006	208 L	Drum	1406.00

Model	Mfg.		Container	Price
No.	No.	Format	Туре	/Each
AG350	106119	400 g	Tube	10.90
AG351	106118	54.4 kg	Keg	1209.00

5877 PYROPLEX® GOLD #2

- Uniquely formulated, semi-synthetic, aluminum complex grease that excels in heavily loaded construction, mining and industrial equipment where extreme operating conditions prevail
- Extreme pressure and anti-wear performance
- especially in highly shock loaded areas
- 6% molybdenum disulfide solids
- Semi-synthetic basestock for unique cold flow and pumping capabilities
- Excellent thermal stability with a high dropping point
- Enhanced "stay in place" technology with hydro-activated polymers providing very low water spray-off rates
- Aluminum complex thickener
- Will excel in multiple bearing applications, sliding applications, bucket pins, highly shock loaded areas, and asphalt paver auger bearings where extreme pressure and high heat exist
- Has assured pumpability in most cold environments that eliminates the traditional approach of changing to a NLGI 1 grade in winter



AG356

=Castro

Vrop

AG350

Castrol

Castrol

Model	Mfg.	Format	Container	Price
No.	No.		Type	/Each
AG356	903219	425 g	Tube	12.70

FOAMING CLEANER-DEGREASER

- Spray it on and watch as the foaming action clings to the surface ensuring that the
- active ingredients won't run off Industrial strength, yet biodegradable,
- phosphate-free and non-flammable
- Ready to take on your greasiest,
- grimiest and toughest cleaning tasks Colour: Purple



Castrol /

Model	Mfg.	Format	Container	Price
No.	No.		Type	/Each
AG365	801166	946 ml	Trigger Bottle	10.70



AG347

AUTOMOTIVE ANTIFREEZE & COOLANTS

FLT529

Prestone

50/50 PREDILUTED ENGINE ANTIFREEZE/COOLANT

- 50/50 blend of concentrated
- antifreeze/coolant and demineralized water Cor-Guard[™] inhibitor formula prevents corrosion, helping a
- vehicle's cooling system run more efficiently and last longer Compatible with any colour antifreeze/coolant, and can be
- used in all makes and models of cars or light-duty trucks Meets or exceeds ASTM D3306 and D4985 for corrosion
- protection for cars and light duty trucks Can provide up to 5 years or 250,000 km of protection
- when flushed and filled according to directions

Prestone

Model Mfg.		Container		Price	
No.	No.	Format	Туре	Colour	/Each
FLT529	71183	1.89 L	Jug	Yellow	12.50
FLT530	71175	3.78 L	Jug	Yellow	20.50

MOTOR ANTIFREEZE/COOLANT

- Specially formulated for Asian-based POAT Technology vehicles, and European-based HOAT Technology vehicles
- Will not void manufacturer's warranty
- Fights the spread of corrosion
- Up to 5 years or 150,000 milesof protection when used
- according to manufacturer instructions
- Container Type: Jug

Prestone

Model	Mfg. No.	Format	Formulated For Use In	Colour	Price /Each
No.	NO.	Format	For Use In	Colour	/Each
FLT532	78007	3.78 L	Toyota®, Lexus®, and Scion® vehicles	Red	24.50
FLT533	78015	3.78 L	Honda®, Acura®, Nissan®, Infiniti®, Subaru®, and Suzuki® vehicles	Blue	24.50
FLT534	78023	3.78 L	Audi®, BMW®, Jaguar®, Volvo®, Mini®, Porsche®, Saab®, VW® and Mercedes® vehicles	Teal	25.50

COMMAND® HEAVY-DUTY ESI ANTIFREEZE/COOLANT

- · Features pre-charged extended service interval (ESI) technology product, is compatible with any conventional heavy-duty coolant, and all filter technologies
- Can be used in normal- to severe-duty cycles and extreme temperature conditions
- Provide protection against freezing, overheating, cavitation erosion, corrosion, and scale & foaming
- Colour: Purple



Model	Mfg.			Container	Price
No.	No.	Format	Description	Туре	/Each
FLT537	74005	3.78 L	Concentrate Antifreeze/Coolant	Jug	21.90
FLT539	74021	205 L	Concentrate Antifreeze/Coolant	Drum	1123.00
FLT538	74013	3.78 L	50/50 Prediluted Antifreeze/Coolant	Jug	15.50
FLT540	74039	205 L	50/50 Prediluted Antifreeze/Coolant	Drum	795.00

COMMAND® HEAVY-DUTY NOAT ANTIFREEZE/COOLANT

- Nitrited Organic Acid Technology (NOAT) is intended for use, and is compatible with, any NOAT Extended Life heavy-duty antifreeze/coolant
- For use in any diesel-powered commercial vehicle or stationary engine with aluminum and other metal engines
- Colour: Red

Prestone

Model No.	Mfg. No. Format Description				Description	Container Type	Price /Each
FLT541	74047	3.78 L	Concentrate Antifreeze/Coolant	Jug	22.50		
FLT543	74063	205 L	Concentrate Antifreeze/Coolant	Drum	1182.00		
FLT542	74055	3.78 L	50/50 Prediluted Antifreeze/Coolant	Jug	15.90		
FLT544	74071	205 L	50/50 Prediluted Antifreeze/Coolant	Drum	815.00		

FLT541

CONCENTRATE ENGINE ANTIFREEZE/COOLANT

- Cor-Guard[™] inhibitor formula prevents corrosion, helping a vehicle's cooling system run more efficiently and last longer
- Compatible with any colour antifreeze/ coolant, and can be used in all makes and models of cars or light-duty trucks
- Meets or exceeds ASTM D3306 and D4985 for corrosion protection for cars and light duty trucks
- Can provide up to 5 years or 250,000 km of protection when flushed and filled according to directions

Prestone

Mfg.		Container		Price
No.	Format	Туре	Colour	/Each
71621	3.78 L	Jug	Yellow	25.50
	No.	No. Format	No. Format Type	No. Format Type Colour

ANTIFREEZE/COOLANT

- 50/50 blend contains 50% antifreeze for temperature and corrosion protection and 50% demineralized water for vital heat transfer
- For use in all vehicles that require DEX-COOL® antifreeze/coolant Can also be used in all other cars and light duty
- trucks that use extended life coolant Meets or exceeds ASTM D3306 ASTM D4985 and SAE standards for corrosion protection
- Meets General Motors GMW3420 (GM 6277M), Ford WSS-M97B44-D, and property and performance specification requirements for FCA (Fiat/Chrysler) MS12106 (MS-7170 & MS-9769)
- Approved by General Motors to be licensed as a DEX-COOL® product under the GM 6277M specification
- Can provide up to 5 years or 250,000 km of protection when flushed and filled according to directions

Model No.	Mfg. No.	Format	Description	Container Type	Price /Each
FLT535	71118	3.78 L	Concentrate Antifreeze/Coolant	Jug	25.50
FLT536	71159	3.78 L	50/50 Prediluted Antifreeze/Coolant	Jug	21.50

COMMAND® HEAVY-DUTY NITRATE-FREE EXTENDED LIFE ANTIFREEZE/COOLANT

- · Organic Acid Technology (OAT) is intended for use, and is compatible with, any OAT Extended Life heavy-duty antifreeze/coolant
- For us in any diesel powered commercial
- vehicle or stationary engine
- Colour Yellow



Model	Mfg.			Container	Price
No.	No.	Format	Description	Туре	/Each
FLT545	74089	3.78 L	Concentrate Antifreeze/Coolant	Jug	24.50
FLT547	74807	205 L	Concentrate Antifreeze/Coolant	Drum	1291.00
FLT546	74097	3.78 L	50/50 Antifreeze/Coolant	Jug	17.90
FLT548	74815	205 L	50/50 Antifreeze/Coolant	Drum	931.00

Prestone

CELSIUS® EXTENDED LIFE ANTIFREEZE/COOLANT

- · Compatible with any antifreeze/coolant in any vehicle with aluminum or other metal cooling systems
- Features a blend of long-lasting inhibitors to guard against extreme temperatures and the effects of rust,
- corrosion, and premature water pump failure
- Meets and exceeds ASTM D3306 and D4985 for corrosion protection for cars and light duty trucks, while providing reliable freeze-up and boil-over protection

Colour: Yellow

FLT549

Model	Mfg.			Container	Price
No.	No.	Format	Description	Туре	/Each
FLT549	11551	3.78 L	Concentrate Antifreeze/Coolant	Jug	20.50
FLT551	11568	205 L	Concentrate Antifreeze/Coolant	Drum	1059.00
FLT550	11576	3.78 L	50/50 Prediluted Antifreeze/Coolant	Jug	14.90
FLT552	11584	205 L	50/50 Prediluted Antifreeze/Coolant	Drum	759.00



FLT531



FLT535



Prestone



FLT532

FLT537

SAFETY FLARES

- · Visible in fog, rain, or snow
- Easy to ignite with self-contained striker
- 20 or 30-minute duration
- Spike or wire stands available

UL approved		SAI373	Price	Priced per Package		
Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each		
20 MINU	TES					
SAI373	2720	Spike	72	407.00		
SAI374	9240	Wire stand	72	474.00		
30 MINU	TES					
SAI375	2730	Spike	36	265.00		
SAI376	9340	Wire stand	36	311.00		

SAI374

FLARE CONTAINERS

Model	Mfg.		Price
No.	No.	Description	/Each
SDP618*	300	Holds up to four 20 minute Flares	48.60
SDP619*	S300	Holds up to four 30 minute Flares	54.50
SDP620	7830	Holds up to eighteen 30 minute Flares	54.95

* Wall Mounting bracket included

PRO™ SNOW SHOVEL

- Top-of-the-line industrial grade tools
- designed for intense and continuous use
- Stained ash wood





Model No.	Mfg. No.	Handle Type	Handle Length"		Blade Size"		Blade Material	Price /Each
NE314	GIP139KD	D-Grip	45	13 7/8	Х	16 3/8	Polypropylene	27.40



AUTOMOTIVE ESSENTIALS



• Battery Type: C Voltage: 1.5 V

Qty/Box: 12

Model No. XB874

Price/Box \$20.40

SCRATCH-FREE SNOWBRUSH

- Scratch-free EVA foam head brush
- Lightweight aluminum handle for a more durable and comfortable grip
- Sturdy scraper made of polycarbonate is perfect for getting through thick ice

Garant	in the second		L
--------	---------------	--	---

Model	Mfg.	Overall	Head	Description	Price
No.	No.	Length"	Width"		/Each
NJ399	G36SBMSV	36	4-3/4	Non-Telescopic	28.35
NM807	G52PSBT	52	13-3/4	Telescopic	41.49

TELESCOPIC LONG REACH SNOW BROOMS **SNOW BRUSHES** Extends from 23" to 36" • 35" long aluminum handle 7" head w/rubber squeegee Large foam grip External lock Unbreakable blade Colour may vary Model No. NE440 Model No NE441 Price/Each \$13.99 Price/Each \$8.99

EMERGENCY CAR SHOVELS

- Collapsible for easy storage
- Telescopic for extended reach 30" to 40"
- External ergonomic lock
- · Durable one piece D-handle
- Model No. NJ088 Price/Each \$19.99

CAR SHOVEL WITH TELESCOPIC HANDLE

- Warranty: 1 year
- Emergency shovel designed and developed to help rescue you from any winter situation
- Equipped with an ultra-light, aluminum telescopic handle to make snow removal and storage in the trunk of your car easier
- Blade Material: Polypropylene Blade Width: 9"
- Blade Height: 5"
- Handle Length: 24-3/4"
- Handle Material: Aluminum Handle Type: D-Grip
- Model No. NKA409
- Price/Each \$23.20



- Prevents roof damage by removing ice dams
- & heavy snow
- Shipped knocked down
 - Lightweight handle extends to 16'
 - Blade Material: Polypropylene
 - Blade Width: 24-3/4
 - Blade Height: 6" Handle Length: 61"
 - Handle Material: Aluminum
 - Handle Type: Straight
 - Weight: 4 lbs.
 - Model No. NN009
 - Price/Each \$51.20

auroratools



Model No.	Dia."	Price/Each	Mod
MN448	3	5.24	No.
YC564	5	9.24	TYB5
NC991	9	14.80	TYB5
NC991	9	14.80	-

Price/Each	Model			
5.24	No.	Diameter"	Capacity	
9.24	TYB517	8	1.7 litres	
14.80	TYB518	9 1/2	3 litres	

Call our order desk for a quote when funnels & measures are to be used in food industry.

auroratools.

NB001

Price

/Each 14.90

17.00

23.40

29.60

Model		Price
No.	Capacity	/Each
TYB513	1 quart	8.45
TYB514	2 quart	10.25
TYB515	3 quart	14.00
TYB516	5 quart	18.65

STEEL FUNNELS WITH EXTENSION

- Galvanized steel funnel comes with a flexible extension
- 1/2" diameter hose for 1-pint model,
- 3/4" diameter for larger sizes

Model		Тор	Hose Spout	Spout	Price
No.	Cap.	Dia."	Length"	Dia."	/Each
NB027	1 pint	43/4	9	3/8	34.50
NB028	1 quart	5 7/8	8	1/2	39.80
NB025	1/2 gal.	7 5/8	8 1/2	1/2	47.00
NB026	1 gal.	8 7/8	10	1/2	53.30

STRAINER FUNNELS

Tin strainer funnels have a built-in screen that prevents the flow of harmful particles into the liquid

Model		Тор	Top Body Spout		ut	Price
No.	Cap.	Dia."	Ht."	Ht."	Dia."	/Each
NB069	1 pint	43/4	3 7/16	2 1/16	3/8	11.40
NB070	1 quart	5 3/4	4 5/16	2 3/8	1/2	12.00
NB067	1/2 gal.	7 1/2	5 5/8	2 11/16	5/8	13.80
NB068	1 gal.	8 3/4	6 1/2	3 1/2	3/4	17.00



STEEL FUNNELS

- Suitable for use with tractors Galvanized steel funnel has 8 3/4" diameter and comes
- with a brass screen strainer Body height: 7 1/2"
- Spout height: 4 13/16'
- Spout diameter: 15/16"
- Capacity: 2 gallons

Model No. NA999 Price/Each \$32.30

NON-TILT STEEL FUNNELS

- Suitable for use with tractors Non-tilt feature allows funnel
- to remain upright when in use
- Galvanized steel funnel has 8 3/4" diameter, comes with brass screen strainer
- 15/16" spout diameter Capacity: 2 gallons
- Model No. NB004 Price/Each \$39.80



NB004

LIQUID MEASURES

NB070

A. FLEXIBLE SPOUT

NB028

- Spill proof top Flexible spout makes it easy to reach difficult areas and
- hard to reach pouring angles
- Flexible spout length: 8' • Spout diameter: 1/2"
- Available in tin, galvanized
- steel or stainless steel

Cap.	Tin Model No.	Dia." x H"	Price /Each	Galvanized Model No.	Dia." x H"	Price /Each	Stainless Model No.	Dia." x H"	Price /Each
A. FLEXIBL	E SPOUT								
1 quart	NB082	4 1/4 x 4 3/4	49.80	NB035	4 x 5 7/16	65.60	NB056	4 x 5 7/16	82.30
1/2 gallon	NB079	4 1/4 x 8 7/8	52.80	NB033	5 x 7 1/4	71.60	NB052	4 x 7 1/4	99.40
1 gallon	NB081	6 x 9 3/4	57.40	NB034	6 x 9 3/4	77.50	NB054	6 x 9 3/4	113.00
B. OPEN TO	OP								
1 quart	NB087	4 1/4 x 4 3/4	40.50	NB038	4 x 5 7/16	56.30	NB061	4 x 5 7/16	73.80
1/2 gallon	NB083	4 1/4 x 8 7/8	45.40	NB036	5 x 7 1/4	62.60	NB057	4 x 7 1/4	90.80
1 gallon	NB085	6 x 9 3/4	49.90	NB037	6 x 9 3/4	71.60	NB059	6 x 9 3/4	99.40



16.00

8 3/4" diameter galvanized steel

16" long flexible extension

 Suitable for use with tractors Model No. NB001 Price/Each \$68.60

UTILITY FUNNELS

Top

Dia.'

43/4

5 3/4

7 1/2

8 3/4

Cap.

1 pint

1 quart

1/2 gal.

1 gal.

Lightweight tin and galvanized steel funnels

Body

Ht.

3 7/16

45/16

5 5/8

6 1/2

available in capacities from 1 pint to 1 gallon

15/16" spout diameter

Capacity: 2 gallons

funnel with brass screen strainer

STEEL FUNNELS WITH EXTENSION

B. OPEN TOP

Dia."

3/8

1/2

5/8

3/4

Spout

Ht."

2 1/16

23/8

2 11/16

3 1/2

Available in tin, galvanized steel or stainless steel

B.

Tin Model No

NB077

NB078

NB075

NB076



NB078

Galv.

NB031

NB032

NB029

NB030

Model No

Price

/Each

7.13

7.89

9.27

12.30



Approved

Regulation

FM

FM

FM

FM

FM

FM

🔊 Justrite

🕢 Justrite

Price

/Fach

113.00

124.00

123.00

141.00

210.00

226.00

31.00

Wt.

lbs/kg

2/09

4/1.8

5/23

5/2.3

8/3.6

10/4.5

1/0.5

DIP TANKS

- Manually operated covers which stay open for convenient access
- Cover is equipped with a self-closing mechanism and fusible
- link which melts at 165°F to snap the cover shut in case of fire Constructed of 24-gauge coated steel,
- durable powder coat paint finish for long use Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals



Model

WN978

AB491

AB492

WN979

AB493

AB494

WN980

Description

w/parts basket

Optional 24-gauge

parts basket

1-quart steel bench can

2-quart steel bench can

1-gallon steel bench can

1-gallon steel bench can

2-gallon steel bench can

3-gallon steel bench can

No.

AB491

Model		Outsi	de l	Dim.	Approved	Wt.	Price
No.	Description	Dia."	x	H"	Regulation	lbs/kg	/Each
SD561	1-gallon steel dip tank	9 3/8	х	5 1/2	FM,UL	5/2.3	147.00
SD562	2-gallon steel dip tank	9 3/8	х	10	FM,UL	6/2.7	151.00
SD563	3.5-gallon steel dip tank	11 3/8	х	11 1/4	FM,UL	8/3.6	188.00
SD564	5-gallon steel dip tank	13 3/4	х	13	FM,UL	10/4.5	192.00
WN969	5-gallon steel dip tank w/HDPE liner	13 3/4	х	13	-	12/5.5	409.00
WN970	8-gallon steel dip tank	15 5/8	х	14 1/4	FM,UL	13/5.9	245.00

Outside Dim.

Х 3 1/4

H'

7/16

Dia "

47/8 х 5 1/2

93/8

93/8 х 4 1/2

9 3/8 Х 4 1/2

11 1/2 х 5 3/8

13 1/2 х 6

67/16 х

Dasher

Dia '

4 1/2

7 1/2

7 1/2

7 1/2

93/4

12 1/8

BENCH CANS

- Spring-loaded, perforated plated steel dasher plate Simply press down and agitate, then
- release to return to drain position
- Effective flame arrester
- Hinged cover minimizes evaporation losses .
- . Protected rim reduces the possibility of hand injury
- 24-gauge premium coated steel
- Powder coat paint finish adds durability

WASH TANKS

- Cover opens wide for access
- Integral parts basket facilitates washing quantities of small parts quickly
- Can and basket are made of
- sturdy 24-gauge coated steel
- After cleaning, the basket is positioned at
- the top of the tank to allow solvent to drain Cover is equipped with a self-closing mechanism and fusible link which melts at 165°F
- and snaps the cover shut in case of fire Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals



Model		Outsi	de l	Dim.	Approved	Wt.	Price		
No.	Description	Dia."	x	H"	Regulation	lbs/kg	/Each		
WN971	1-gallon steel wash tank w/basket	9 3/8	х	10	FM, TUV	7/3.2	334.00		
WN972	2-gallon steel wash tank w/basket	11 3/8	х	11 1/4	FM, TUV	10/4.5	397.00		
WN973	3.5-gallon steel wash tank w/basket	13 3/4	х	13	FM, TUV	12/5.5	400.00		
WN974	3.5-gallon steel wash tank w/HDPE liner and basket	13 3/4	х	13	FM, TUV	13/5.9	939.00		
SM432	6-gallon steel wash tank w/basket	15 5/8	х	14 1/4	FM, TUV	15/6.8	430.00		

RINSE TANKS

- Large parts (up to 16" x 35") can be totally immersed
- Heavy-duty, 18-gauge coated steel construction
- Tough powder coat paint finish for superior durability and chemical resistance

FLOOR STANDING RINSE TANKS

- Supported on a sturdy stand, 33" height for
- convenient access whether standing or seated
- Self-closing cover is foot-treadle operated so it
- can be opened by a worker with both hands full Adjustable-rate pneumatic cylinder prevents cover from slamming shut instantly
- · A 3/4" drain plug for easy solvent replacement

A Justrite

TANK

Clean larger parts with ease!

Lift-and-latch style cover has fusible link that melts at 165°F and closes the cover in case of fire

• A 3/4" drain plug allows for easy solvent replacement

Sit conveniently on work bench or counter for easy access

SEDIMENT SCREENS

• 26-gauge premium coated steel

BENCH TOP RINSE TANKS

Rests at bottom of tank to catch grime as it settles . and allows for easy cleaning during solvent change

PARTS BASKETS

- 26-gauge premium coated steel
- Carries numerous smaller parts to be washed in a single action



Model			Di	mensi	ons		Approved	Wt.	Price
No. Description		Ľ"	x W" >		x	D"	Regulation	lbs/kg	/Each
FLOOR S	TANDING & BENCH TOP RINSE TANKS								
SM434	11-gallon steel floor standing rinse tank	24	х	16	х	8 3/4	FM	27/12.3	1035.00
SM431	11-gallon steel bench top rinse tank	24	х	16	х	8 3/4	FM	13/5.9	668.00
SM433	22-gallon steel floor standing rinse tank	35 1/4	х	16	х	12	FM	36/16.4	1190.00
WN975	22-gallon steel bench top rinse tank	35 1/4	Х	16	х	12	FM	22/10	1040.00
TWIN CH	IAMBER RINSE TANKS								
WN976	2 x 4-gallon steel floor standing rinse tank	24	Х	16	х	8 3/4	FM	62/28	1286.00
WN977	2 x 9-gallon steel floor standing rinse tank	35 1/4	х	16	х	12	FM	80/36	1420.00

SEDIMENT SCREENS & PART BASKETS

Model			D	imensio	Wt.	Price		
No.	Description	Ľ"	x	W"	x	D"	lbs/kg	/Each
SM437	Sediment screen for tank models SM434 and SM431	23	Х	13 3/4	Х	3/4	1/.5	76.00
SM436	Sediment screen for rinse tank models SM433 and WN975	35	х	13 3/4	х	3/4	1/.5	113.00
SM430	Parts basket for rinse tank models SM434 and SM431	16	х	13	х	4	4/1.8	161.00
SM428	Parts basket for rinse tank models SM433 and WN975	28	Х	13	Х	4	6/2.7	216.00


\Lambda lustrite

PARTS CLEANER

RECIRCULATING PARTS WASHERS

- Safety lever has fusable link which shuts cover in case of fire
- Thermally protected 110 V motor and on/off switch
- Durable pump included
 3-way filtration traps gri
- 3-way filtration traps grime
- Flush hose delivers flow of solvent to rinse parts clean, quickly and easily





*A material safety data sheet is required for purchase

BV744

40 GALLONS Capacity: 30 gallons Motor: 0.25 A Voltage: 110 V, 1 phase, 60 Hz Dimensions: 44 1/2" x 21 1/4" x 10 1/2"

Height of stand: 24 1/2" Weight: 92 lbs. Model No. BV744* Price/Each \$282.00



PARTS CLEANING BRUSHES

Recommended for cleaning motors,

machinery and metal parts.

Model No.	Brush Dia."	Overall Length"	Trim Length"	Qty /Pkg.	Price /Each
BZ987	1 1/8	11	2 3/4	12	5.79
TEX274	17/8	37 3/8	3 1/2	1	20.80
		Brush Only: 10"			

SMARTWASHER®

SmartWasher^{*} uses the process of **bioremediation** - the accelerated break down of organic compounds such as grease, grime, varnish, oil, carbon and other heavy industrial soils through the use of nonpathogenic microbes. The microbes, suspended in a fluid that re-circulates through the unit, literally **eat their way through soils**, converting them into harmless water and carbon dioxide (CO_2). The solution remains clean and usable, unlike traditional solvent-based systems where the solution becomes dirty and less effective over time. Disposal becomes a non-issue, as hazardous waste streams are eliminated.

BV743

12 gallons

0.25 A

110 V, 1 phase, 60 Hz

30 1/2" x 21 1/4" x 10"

24 1/2"

55 lbs.

20 GALLONS

Capacity:

Motor:

Voltage:

Weight:

Dimensions:

Height of stand:

Model No. BV743*

Price/Each \$203.00

JUST SAY NO!

- NO VOC Concerns
- NO Toxic Solvents
- NO Flash Point Fluid
- NO Service Contracts
- NO Hazardous Waste Hauling
- · NO Health and Safety Hazards





PARTS CLEANER

Model	Mfg.			Sink Dim					Overall Din	n.		Price
No.	No.	W "	x	D"	x	Η"	W"	х	D"	x	Н"	/Each
NH774	14145	28	Х	17	х	8	35.5	Х	26.5	х	40	3349.00
AF127	14144	24	Х	41	Х	8	34	Х	42	х	43	3599.00

MOBILE PARTS & BRAKE WASHERS

Model	Mfg.			Sink Dim					Overall Di	n.		Price
No.	No.	W"	x	D"	x	H"	W"	х	D"	X	Η"	/Each
AF128	14161	23	х	27	х	8	26.5	х	27	Х	40	3299.00

PARTS CLEANER

SMARTWASHER® SYSTEMS

The SmartWasher® system consists of a sturdy, impact resistant, self-contained washing unit with a flexible nozzle and brush that directs warmed cleaning fluid for parts washing. The fluid works in conjunction with a special microbe impregnated filter to effectively clean the dirtiest parts.

SMARTWASHER® UNITS FEATURE:

- Flexible nozzle and brush
- Recirculating pump . Low fluid indicator light/low fluid automatic shut-off •
- Thermostat

SMARTWASHER® SW-428 KIT

- **Overall Dimensions:**
- 38" W x 42" D x 47" H Includes: 1 SW28 SmartWasher® Unit, 5 5-Gallon jugs of SW4 cleaning fluid, and and 1 multi-layer FL4 OzzyMat[™] filter

Model No. AF356 Mfg. No. 14757 Price/Each \$3799.00



SMARTWASHER® SW-423 KIT

- **Overall Dimensions:** 48" W x 42" D x 50" H
- Includes: 1 SW23 SmartWasher® unit, 3 5-gallon jugs of SW4 cleaning fluid, and and 1 multi-layer FL4 OzzyMat[™] filter Model No. AF290 Mfg. No. 14740

SMARTWASHER® SW-437 KIT

Price/Each \$3399.00

Overall Dimensions:

48" W x 42" D x 55" H Includes: 1 SW37 SmartWasher® unit, 5 5-gallon jugs of SW4 cleaning fluid, and 1 multi-layer FL4 OzzyMat[™] filter Model No. AF288 Mfg. No. 14741 Price/Each \$4249.00





Model Mfg. Container Units No. Description Size /Case NSF AF129 14148 Industrial Grade 5-Gal. Jug 1 A1 **Cleaning Solution** AF130 14156 Automotive & Ink Grade 5-Gal. Jug 1 A1 **Cleaning Solution** AF131 14158 Specialty Metals 5-Gal. Jug 1 A1 Cleaning Solution

SMARTWASHER® CLEANING SOLUTIONS

Aqueous, pH neutral, non-corrosive, non-flammable, biodegradable and

contains no VOCs. Solutions work in conjuction with filters when warmed to

105°F by the units. All cleaning solutions are certified as Clean Air Solvents

by the South Coast Air Quality Management District (SCAQMD).

Removes the toughest industrial soils with minimal odour; US EPA Design for Environment (DfE recognized) Automotive & Ink Grade Cleaning Solution:

Industrial Grade Cleaning Solutions:

automotive carbon and varnishes

Specialty Metals Cleaning Solution:

perfect for use on all aircraft metals

Maximum strength, low odour formula removes

soils from both ferrous and non-ferrous metals;

Removes printers ink and

OZZYMAT[™] MULTI-LAYER FILTER

• Four filters in one for heavy use applications

For use with SmartWasher[®] parts cleaning system

Model No. AF286 Mfg. No. 14124

No.

Price/Each \$39.90



Types of Soil	AF129 Industrial Grade	AF130 Automotive & Ink Grade	AF131 Specialty Metals
Motor Oil	Excellent	Excellent	Excellent
Bearing Grease	Excellent	Fair	Excellent
Automotive Grease	Excellent	Good	Excellent
Impacted Grease	Excellent	Fair	Excellent
Asphalt	Good	Fair	Good
Creosote	Excellent	Fair	Excellent
Resin Products	Excellent	Good	Excellent
Hydraulic/Transmission Fluid	Excellent	Excellent	Excellent
Fifth Wheel Grease	Excellent	Fair	Excellent
Crude Oil	Excellent	Excellent	Excellent
Solder & Flux	Excellent	Excellent	Excellent
Automotive Varnish	Good	Excellent	Good
Burned-On Carbon	Excellent	Excellent	Good
Cutting Oils	Good	Excellent	Good
Ink/Toner	Good	Excellent	Good
Animal Fat	Excellent	Fair	Excellent

- Impact resistant construction
- . Energy efficient heater



Price

/Each

215.00

219.00

235.00







PNEUMATIC GREASE GUNS

Three way loading: cartridge, suction or loader pump. Features air vent, loader fitting, rigid extension and coupler. **Model No. AB821 Price/Each \$115.00**



SUCTION GUNS

16 oz. capacity. Includes flexible vinyl hose. Suitable for all purpose draining of non-corrosive lubricants. Model No. AB833 Price/Each \$25.80



12 V CORDLESS GREASE GUNS

Lightweight, powerful, professional quality. The most innovative grease gun ever designed, giving you faster more efficient lubrication:

- High-Pressure Delivery: up to 6500 PSI
 High Flow Rate: 5.25 oz. per minute @ 1000 PSI
- Fight Flow Rate: 5.25 of per minute @ 1
 3-Way Loading: 14-oz. cartridge,
- 16-oz. bulk or suction loaded
- Lightweight: 6.8 lbs.Comes with two batteries
- Comes with two batterie
 Model No. AB812

Model No. AB812 Price/Each \$518.00





GREASE GUN EXTENSION HOSES

WARNING: For use with hand

- operated grease guns only.
- Economical and durable hose
 12 000 PSI burst pressure
- 12000 PSI burst pres
 1/8" NPTF(M) ends





Model		Working	Hose	Price
No.	Length"	Pressure	Туре	/Each
AA693	12	4800 PSI	Single Wire Braid	24.60
AA694	18	4800 PSI	Single Wire Braid	27.30

PISTOL GRIP GREASE GUNS

PROFESSIONAL-DUTY

Develops 7500 PSI. Three-way loading: cartridge, suction or loader pump. Features automatic variable stroke/pressure, air vent, vinyl grip and loader fitting. Delivery: 1 oz. per 33 strokes.

Model No. AA690 Includes: rigid extension and coupler Price/Each \$79.40

Model No. AA691 Includes: 18"flexible hose and coupler Price/Each \$82.50



AA643

LEVER GREASE GUNS PROFESSIONAL-DUTY Develops 10000 PSI. Three-way loading: 14 oz.

cartridge, suction or loader pump. Features automatic variable stroke/pressure, air vent, vinyl grip, loader fitting. Delivery: 1 oz. per 21 strokes.

Model No. AA643 Includes: rigid extension and coupler Price/Each \$65.10

Model No. AB827 Includes: 18" hose and coupler Price/Each \$88.10

Model No. AB825 Includes: 24 oz. cylinder, rigid extension and coupler Price/Each \$87.00

HEAVY-DUTY/HIGH PRESSURE



PROFESSIONAL COUPLERS

- Hardened spring steel jaws and hardened
- body withstands high pressure without deformation Hexagonal nut allows easy tightening
- Threads: 1/8" NPT
- 4-jaw construction, 6000 PSI
- · For hand-operated grease gun only

Model No. AC482 Price/Each \$5.50

auroratools

HYDRAULIC COUPLERS - 360° SWIVEL

- Excellent coupler for effective lubrication of difficult and hard to reach grease fittings
- Swivels in full 360° circle and locks
- conveniently at any 45° position Spring loaded ball-check valve
- helps retain pressure
- Threads: 1/8" NPT

3-jaw construction, 7000 PSI Model No. AC484 Price/Each \$47.35

auroratools



HEAVY-DUTY COUPLERS

- Hardened spring steel jaws & hardened body with double wall thickness withstands very high pressure without deformation
- . Hexagonal nut allows easy tightening
- Threads: 1/8" NPT
- 4-jaw construction, 10000 PSI
- For hand and air operated equipment

Model No. AC483 Price/Each \$9.95

auroratools[.]

HYDRAULIC COUPLERS - RIGHT ANGLED

- Fits all standard grease gun Designed for right angled discharge
- of grease, very useful for greasing fittings with limited access
- or in low heights
- Threads: 1/8" NPT
- 10000 PSI Model No. AC485

Price/Each \$12.20

auroratools



SEAL-OFF DISPENSERS

- Used with grease gun extension or hose for lubricating grease plugs Threads: 1/8" NPT
- Model No. AC491 Price/Each \$14.85

auroratools



STEEL BEARING PACKERS

- For use with grease guns
- The design incorporates a grease nipple at one end which easily adapts to the grease gun coupler
- Grease bearings in cars boats, RV, etc. with a minimum inner diameter of 1/2" to a maximum outer dia of 5" and height from 1/4" to 2" Model No. AC493

Price/Each \$34.10

GREASE GUN HOLDERS

Simple snap action clamp for safe storage of grease guns and suction guns Model No. AC486 Price/Each \$8.00

auroratools



GREASE INJECTOR NEEDLES

- Lubricates in very tight spaces such as universal joints and sealed bearings
- Equipped with standard grease fitting without ball check and protective plastic holder
- 18-gauge needle thickness

1 1/2" long

Model No. AC487 Price/Each \$9.50

auroratools



NEEDLE NOSE DISPENSERS

- · Used for dispensing a fine line of grease
- Can be attached directly to steel extensions or flexible hoses
- Threads: 1/8" NPT
- · AC490 has a narrow needle
- with a diameter of (0.156") 3.96 mm
- AC489 has a 0.219" (5.56 mm) needle diameter



auroratools

Model No.	Needle Length mm	Price /Each
AC489	15	8.20
AC490	38	13.10

EZEE-LUBE KITS

 The Ezee-Lube kit comprises of a range of quick-connect fittings designed to meet any and every greasing application lube accessories Model No. AC492

Price/Each \$108.15

auroratools





auroratools



OIL CANS

- Oil can body is seamless drawn from heavy-gauge tin coated sheet
- Premium powder coated finish

Model No.	Capacity oz.	Spout Length"	Spout Type	Pump	Price /Each
LEVER TY	(PE			·	
AC514	6	6	Flexible	Steel	8.85
AC515	10	6	Flexible	Steel	9.85
AC589	13	7	Flexible	Steel	11.60
AC516	16	7	Flexible	Steel	11.45
AC592	16	9	Flexible	Steel	16.65
AC593	16	9	Rigid	Steel	16.15
AC590	23	8	Flexible	Steel	13.65
AC594	33	9	Flexible	Steel	22.45
AC595	33	9	Rigid	Steel	21.10
PISTOL T	YPE				
AC588	4	5	Flexible	Steel	7.05
AC513	6	5	Flexible	Steel	11.05
AC597	6	6	Flexible	Steel	13.60
AC596	6	6	Rigid	Steel	10.65
AC599	16	6	Flexible	Steel	19.35
AC598	16	6	Rigid	Steel	20.45
AC600	33	6	Rigid	Steel	28.40



HYDRAULIC GREASE COUPLERS

Provides quick, positive a connection with hydraul		AA862		ALEMITĘ
Model No.	Туре	Thread	Max. Pressure PSI	Price /Each
QG997	Standard	1/8" NPTF(F)	10 000	17.80
AB742*	Standard	1/8" NPTF(F)	10 000	25.10
QF621	Narrow	1/8" NPTF(F)	10 000	13.60
AA862*	Narrow	1/8" NPTF(F)	10 000	19.80

*Equipped with built-in check valve

MANUAL LUBRICATION PUMPS



GREASE FILLER PUMPS

- An ideal grease filling solution to easily load bulk or combination grease guns from bulk grease pails
- Full economy in buying bulk grease
- Pail capacity: 5 gallons
- Rubber lining follower plate for use with most bucket types

Model No. AD383 Price/Each \$91.25

auroratools

BUCKET GREASERS

- High volume, high pressure grease pump
- Uses low cost bulk grease Delivers 3 g/stroke or 1 oz.
- in less than 10 strokes at pressures up to 2000 PSI
- Comes complete with 22-lb built-in steel grease bucket

Model No. AC495 Price/Each \$277.00



AIR-OPERATED GREASE PUMPS

- Ideal for applications having continuous need for high pressure grease
- 50:1 ratio pump
- Recommended air pressure between 60 and 125 PSI
- Air inlet: 1/4" NPT (female)
- Grease outlet: 1/4" NPT (female) •
- Fits 5-gallon and 16-gallon pails
- Comes complete with drum cover, . rubber-lined follower plate, 7' of high pressure grease hose, Z swivel and grease control valve

Model No. AC496 For 25-50-lb. pails Price/Each \$1107.00 auroratools

Model No. AC497 For 120-lb. pail Price/Each \$1334.00



SWIVELS

- Installed between the delivery hose and grease control valve, swivels permit easy handling of control valves and prevent damage to hose caused by twisting
- 6000 PSI

auroratools

Model No.	Thread Specifications	Price /Each
AC499	1/4" NPT (F) - 1/4" NPT (M)	7Each 87.90
AC500	1/4" NPT (F) - 1/8" NPT (M)	87.90

GREASE CONTROL VALVES

- Premium quality
- For use with power-operated equipment
- Provides continuous grease flow with trigger fully depressed
- Inlet thread specification: 1/4" NPT (female)
- Outlet thread specification: 1/8" NPT (female)
- 7500 PSI •
- · Comes complete with 6" steel extension

and heavy-duty coupler

Model No. AC498 Price/Each \$146.00

auroratools



EASY-OUT TOOLS

- · Handy, dual-purpose tool for removing worn and broken grease fittings, as well
- as retapping holes for installing new grease fittings



SETS

Model No.	Tap Rethreads	Price /Each
AC511	1/4"-28	19.15
AC512	1/8"-27	17.15

GREASE FITTINGS

- · Manufactured to the most stringent quality standards
- QS 9000 approved
- 10 fittings per package

SAE	Pricea pe	er Package
Model		Price
No.	Description	/Each
1/4" - 28 S	AE-LT PIPE THREADS	
AC501	Short - Straight	5.50
AC502	Short - 45°	7.75
AC503	Short - 90°	9.65
1/8" - 27 P	IPE THREADS	
AC504	Short - Straight	6.35
AC505	Short - 45°	9.50
AC506	Short - 90°	9.50
DRIVE FIT	TING	
AC507	For 3/16" Drill	5.95



Model		Price
No.	Description	/Each
M6 X 1 PIPE	THREADS	
AD202	Straight	5.00
AD203	90 [°]	9.10
M8 X 1 PIPE	THREADS	
AD204	Straight	5.80
AD205	90°	7.30
M10 X 1 PIPI	E THREADS	
AD206	Straight	5.40
AD207	90 [°]	9.70



Model No.	Description	Contains	Price /Each
AC509	80 Pcs of SAE Grease Fittings	15 Pcs of 1/4" 28 SAE LT Straight 10 Pcs of 1/4" 28 SAE LT 45° Angle 10 Pcs of 1/4" 28 SAE LT 90° Angle 25 Pcs of 1/8" 27 NPT Straight 10 Pcs of 1/8" 27 NPT 45° Angle 10 Pcs of 1/8" 27 NPT 90° Angle	48.45
AC510	80 Pcs of Metric Grease Fittings	20 Pcs of M6 x 1 Straight 10 Pcs of M6 x 1 90° Angle 15 Pcs of M8 x 1 Straight 10 Pcs of M8 x 1 90° Angle 15 Pcs of M10 x 1 Straight 10 Pcs of M10 x 1 90° Angle	48.45



ASSORTMENTS

Box contains six types of popular fittings

An identifying chart

is included in the cover

ASSORTMENT INCLUDES:

Туре

Str.

45°

90°

Str

45°

900

Model No. AB826 Price/Each \$66.10

Model No.

AA677

AA686

AA680

AA684

AA683

AA689

POCKET PACK FITTING

AB826

VEHICLE FITTING ASSORTMENTS

- Box contains six types of popular fittings
- An identifying chart
- is included in the cover



ASSORTMENT INCLUDES:

Model No.	Туре	Thread	Quantity
AA677	Str.	1/8" P.T.F.	24
AA686	45°	1/8" P.T.F.	12
AA680	90°	1/8" P.T.F.	12
AA684	Str	1/4"-28 Taper	24
AA683	45°	1/4"-28 Taper	12
AA689	90°	1/4"-28 Taper	12

Model No. AA720 Price/Each \$159.00

LUBRICATION BULK FITTINGS 1/4" - 28 TAPER THREADS

• Used on most cars and trucks and on many industrial machines

Features dirt excluding ball check


Maximum pressure: 10000 PSI

It is recommended that SAE-LT taper threads be assembled into 1/4" - 28 UNF,

Class 3B, straight threaded holes having a modified maximum minor

diameter of 0.2151" to insure 75% minimum thread height.

SAE-LT - conforms to Society of Automotive Engineers lubrication thread specification.



AA497	13/64" AA683		AA689		
Mfg. No.	Туре	Overall Length"	Shank Length''	Hex Size"	Price /Each
1641-B	Str.	35/64	3/16	5/16	0.82
1652-B	Str.	11/16	23/64	5/16	1.63
1698-B	Str.	1 1/8	25/32	5/16	3.13

13/16

3/4

DRIVE FITTINGS

1637-B1

1911-B1

Mode

44684

AA685

AA497

AA683

AA689

No.

- Used extensively to avoid tapping costs in a wide variety of applications
- Alemite serrated shank grips securely and simplifies the replacement of damaged fittings in old or oversized holes
- Recommended only for low and medium pressures


FLEET &

AUTOMOTIVE



AA687

FOR 3/16" DRILL



13/64

13/64

tolerance, the serrated edge of the fitting will provide a secure, lasting grip.

3/8

3/8

IMPORTANT

Actual drill sizes cannot be

1.71

1.60

FOR 1/4" DRILL AA688

45°

90°

Model No.	Mfg. No.	Туре	Overall Length"	Shank Length''	Drill Dia."	Price /Each
AA687	1728-B	Str.	33/64	1/4	3/16	1.28
AA688	1743-B	Str.	35/64	1/4	1/4	1.46

METRIC FITTING ASSORTMENTS

- Box contains six types of popular metric fittings
- An identifying chart is included in the cover
- Thread conforms to German

Standard DIN 71412

AB820


ASSORTMENT INCLUDES:

Model No.	Туре	Thread	Quantity
AB845	Str.	6	10
AB839	45°	6	6
AB840	90°	6	6
AB844	Str.	8	6
AB841	90°	8	6
AB842	Str.	10	10

Model No. AB820 Price/Each \$126.00

1/8" PIPE THREADS

- Used on many industrial
- machines and heavy equipment
- Maximum pressure: 10000 PSI •







AA686

Model Mfg. Overall Shank Hex Price No. No. Туре Length' Length' Size' /Each AA677 1610-BL 0.93 Str. 11/16 19/64 7/16 AA676 1607-B Str. 1 1/4 25/32 7/16 2.35 AA678 1611-B 30° 29/32 19/64 7/16 1.84 AA686 1688-B 45° 57/64 19/64 7/16 1.75 65° AA679 1612-B 27/32 19/64 7/16 1.76 AA680 1613-B 90 27/32 19/64 7/16 1.63


AA676


%" P.T.F

AA679

1/4" PIPE THREADS

- Widely used for larger bearings on farm machinery and heavy industrial equipment
- Recommended for heavy lubricants in cold weather
- · Features dirt excluding ball check
- Maximum pressure: 10000 PSI





Model No.	Mfg. No.	Туре	Overall Length"	Shank Length"	Hex Size"	Price /Each
AA681	1627-B	Str.	7/8	27/64	9/16	2.82
AA682	1629-B	67 1/2°	31/32	11/32	9/16	2.95



Thread

1/8" PTF

1/8" PTF

1/8" PTF

1/4"-28 Taper

1/4"-28 Taper

1/4"-28 Taper



Quantity

12

6

6

12

6

6





Features dirt excluding ball check

GASKET CUTTERS



EXTENSION GASKET CUTTERS

- Hefty brass cutting head slides easily over a variety of gasket materials
- Modular extension design allows you to quickly adjust your cutting size

19 mm long centre pin

457 mm cutting board

Post with offset pin

Piercing tool

Hex key

Cutting knob for small diameters

- Special cutting blades are held securely, ensuring consistent
- and repetitive cuts in material up to 3/4" thick
- Choose from 10 convenient kits to accommodate your cutting requirements

GASKET CUTTER KITS (METRIC)

NO. 1

Cuts 6 mm to 330 mm in diameter

PARTS INCLUDED: Cutter block & head assembly Cutter head screws (2) Gasket cutter blades (6) Pivot post Knurled nuts (2) Fibre washers (2) 13 mm short centre pin Weight: 10.4 lbs.

Model No. TLZ377 Mfg. No. AX6110 Price/Each \$469.00

NO. 4

- · Cuts 6 mm to 1245 mm in diameter
- PARTS INCLUDED: Cutter block & head assembly Cutter head screws (2) Gasket cutter blades (6) Pivot post Pivot post for extension bars Knurled nuts (3) Knurled nuts for extension bars (2) Fibre washers (3) 13 mm short centre pin Weight: 11.8 lbs. Model No. TLZ375 Mfg. No. AX6140

Price/Each \$549.00

19 mm long centre pin Extension bar 330 mm to 635 mm Extension bar over 635 mm (2) 457 mm cutting board Cutting knob for small diameters Post with offset pin Piercing tool Hex kev

NO. 2

Cuts 6 mm to 635 mm in diameter

PARTS INCLUDED: Cutter block & head assembly Cutter head screws (2) Gasket cutter blades (6) Pivot post Pivot post for extension bars Knurled nuts (3) Fibre washers (3) 13 mm short centre pin Weight: 10.5 lbs. Model No. TLZ378 Mfg. No. AX6120 Price/Each \$499.00

NO. 5

· Cuts 6 mm to 1550 mm in diameter

PARTS INCLUDED:

Cutter block & head assembly Cutter head screws (2) Gasket cutter blades (6) Pivot post Pivot post for extension bars Knurled nuts (3) Knurled nuts for extension bars (3) Fibre washers (3) 13 mm short centre pin Weight: 11.8 lbs. Model No. TLZ376 Mfg. No. AX6150 Price/Each \$569.00

• Cuts 1/4" to 25" in diameter

PARTS INCLUDED:

Cutter head screws (2)

Gasket cutter blades (6)

Cutter block & head assembly

19 mm long centre pin Extension bar 330 mm to 635 mm Extension bar over 635 mm (3) 457 mm cutting board Cutting knob for small diameters Post with offset pin Piercina tool Hex kev

19 mm long centre pin

457 mm cutting board

Post with offset pin

Piercing tool

Hex key

Extension bar 330 mm to 635 mm

Cutting knob for small diameters

NO. 3

 Cuts 6 mm to 940 mm in diameter PARTS INCLUDED: Cutter block & head assembly Cutter head screws (2) Gasket cutter blades (6) Pivot post Pivot post for extension bars Knurled nuts (3) Knurled nuts for extension bar Fibre washers (3) 13 mm short centre pin Weight: 10.8 lbs Model No. TLZ379 Mfg. No. AX6130

ALLPAX

19 mm long centre pin Extension bar 330 mm to 635 mm Extension bar over 635 mm 457 mm cutting board Cutting knob for small diameters Post with offset pin Piercing tool Hex key

Price/Each \$519.00



NO. 3

Cuts 1/4" to 37" in diameter

PARTS INCLUDED: Cutter block & head assembly Cutter head screws (2) Gasket cutter blades (6) Pivot post Pivot post for extension bars Knurled nuts (3) Knurled nuts for extension bar Fibre washers (3) 1/2" short centre pin Weight: 10.8 lbs Model No. TLZ372 Mfg. No. AX6030 Price/Each \$519.00

3/4" long centre pin Extension bar 13" to 25" Extension bar over 25" 18" cutting board Cutting knob for small diameters Post with offset pin Piercing tool Hex key

GASKET CUTTER KITS (IMPERIAL)

NO. 1

· Cuts 1/4" I.D. to 13" in diameter

PARTS INCLUDED: Cutter block & head assembly Cutter head screws (2) Gasket cutter blades (6) Pivot post . Knurled nuts (2) Fibre washers (2) 1/2" short centre pin Weight: 10.4 lbs. Model No. TLZ370 Mfg. No. AX6010 Price/Each \$469.00

NO. 4

· Cuts 1/4" to 49" in diameter

PARTS INCLUDED:

Cutter block & head assembly 3/4" long centre pin Extension bar 13" to 25" Cutter head screws (2) Gasket cutter blades (6) Extension bar over 25" (2) Pivot post 18" cutting board Pivot post for extension bars Cutting knob for small diameters Knurled nuts (3) Post with offset pin Knurled nuts for extension bars (2) Piercing tool Fibre washers (3) Hex kev 1/2" short centre pin Weight: 11.8 lbs. Model No. TLZ373 Mfg. No. AX6040 Price/Each \$549.00

3/4" long centre pin 18" cutting board Cutting knob for small diameters Post with offset pin Piercing tool Hex key

NO. 5

NO. 2

Pivot post

Knurled nuts (3)

Fibre washers (3)

1/2" short centre pin

· Cuts 1/4" to 61" in diameter PARTS INCLUDED: Cutter block & head assembly Cutter head screws (2)

Gasket cutter blades (6) Pivot post Pivot post for extension bars Knurled nuts (3) Knurled nuts for extension bars (3) Fibre washers (3) 1/2" short centre pin Weight: 11.8 lbs. Model No. TLZ374 Mfg. No. AX6050 Price/Each \$569.00

3/4" long centre pin Extension bar 13" to 25" Extension bar over 25" (3) 18" cutting board Cutting knob for small diameters Post with offset pin **Piercing tool** Hex key

Pivot post for extension bars Hex key

18" cutting board Cutting knob for small diameters Post with offset pin Piercing tool

3/4" long centre pin

Extension bar 13" to 25"

Weight: 10.5 lbs. Model No. TLZ371 Mfg. No. AX6020 Price/Each \$499.00